

6384 21535-
S.W.A.

Succulents Nurseries

Succulentenkulturen

Wilhelm Triebner

Windhoek S.W. A.

P. O. Box 539 ∴ Phone 830

***WHOLESALE PRICE LIST
of Succulents Plants and seeds***

***ENGROS PREISLISTE über
Succulentensamen u. -Pflanzen***

PLEASE NOTE.

This list cancelled all previous lists. All quotations are for South African Union Currency. Prices are strictly nett, cash with order or C.O.D.

Postage for seeds **free**.

Postage or railage for plants will you include in your payment. **Oversea Cheques include exchange fee.** Cheques make payable at S. W. A. Succulents Nurseries.

For inspections certificate and export permit include in your payment sh 1/-.


Orders from America must have enclosed import permit from the U.S.A. Department of Agriculture, at Washington. No orders where feasibly without permit.

Packing for plant orders over £25.-.-. free, smaller orders packing 1/- to 20/- sh.

Plants are cultivated over one year, before coming to export. All seeds are harvested from cultivated plants and true to name.

Nomenclature based up Dr. N. E. Brown, Mrs. Bolus, Dr. Tischer, Professor Schwantes and Dinter, Prof. Nel and others.

Large quantities special prices.



THE BEST LITERATURE:

H. Jacobsen: Succulent Plants. The Description, Cultivation & Uses of Succulents other than Cacti. Translated by Vera Higgins, Secretary of the Cactus and Succulents Society of Great Britain. This new book with 277 illustrations, supplies the need of a general handbook on the various genera of succulent plants. The english edition contains descriptions of 151 genera and 1087 species. Original prices sh. 25/- nett, U.S.A. 6,25 Dollar. To-day the best work over succulents.

E. J. Labarre: Mesembryanthema.

The only collection of descriptions and photos edited hitherto for general understanding, engaged exclusively in the interesting **Mimicry Forms** of the **Living Stones**.

Written in 3 languages. English by Dr. N. E. Brown, Dutch by Miss Carsten, German by Dr. Tischer.

With chapters on cultivation and general **Ecology**, 2 coloured plates, and 180 illustrations.

Prices £1.15.-, U.S.A. 8,75 Dollar nett.

Alain White and Boyd L. Sloane: The Stapelieae.

The standard work over Stapelaceen. Descriptions and photos from all stapelias and other stapelia-ceas. With monographies of all the discoverers of stapelias.

Prices: sh 16/-, U.S.A. 4,- Dollar.

	each	doz.	100
ADENIUM Schinz:			
Boehmianum Schinz	5/- to 50/-		
Lugardi N.E.Br.	5/- to 10/-		
ADROMISCHUS Lem.:			
cariophyllaceus	1/-	10/-	
Cooperi Brgr.	1/-	10/-	75/-
cristatus Lem.	1/-	10/-	
Hoerleinianus Dtr.	2/6	25/-	
maculatus Lem.	1/-	10/-	75/-
mamillaris N.E.Br.	1/-	10/-	
Mariannae Brgr.	1/6	15/-	
rhombifolius N.E.Br.	1/6	15/-	
spathulatus Brgr.	1/-	10/-	75/-
thirsiflorus Schltr.	-/9	6/-	40/-
AGAVE L.:			
albicans L.	1/6	15/-	
americana L.	1/-	10/-	
„ fol. var. Trel.	1/6	15/-	125/-
heteracantha Bak.	1/6	15/-	
horrida hort.	1/6	15/-	
lophantha Schiede.	1/6	15/-	
lurida Salm.	4/-	40/-	
Nissonii Bak.	1/6	15/-	
picta L.	1/6	15/-	
Rumphi	3/-	30/-	
Salmiana	1/6	15/-	
Sartori	1/6	15/-	
stricta Salm.	1/6	15/-	
stricta Salm. Exh. plants	10/- to 15/-		
Verschaffeltii L.	3/-	30/-	
Victoria Reginae T.M.	3/- to 15/-		
vivipara	5/-	50/-	
Wislezinii	3/-	30/-	
Zapupe Trel.	5/-	50/-	
ALOE L.:			
aculeata	3/-		
affinis	3/-		
africana	1/6	15/-	
arborescens Mill.	1/-	10/-	75/-
ausana Dtr.	1/6 to 5/-	15/-	125/-
aristata Haw.	2/-	20/-	
asperifolia Brgr.	5/- to 10/-		
Bainesii	1/- to 5/-	15/-	
barbertonensis	1/6	15/-	
Beguinii hort.	3/-	30/-	
Borziana (seedlings)	1/-	10/-	
Bowiae	3/-		
Boylei	1/6	15/-	
brevifolia	1/6	15/-	
„ var. depressa	1/6	15/-	

	each	doz.	100
ALOE L.:			
Broomii	1/6	15/-	
caesia Salm.	3/-	30/-	
candelabris	1/6	15/-	
castanea	1/6	15/-	
Chabaudii	1/6	15/-	
ciliaris Haw.	1/-	10/-	
commixta	1/6	15/-	
communata	1/6	15/-	
comosa	1/6	15/-	
Cooperi	1/6	15/-	
consobrina	3/-	30/-	
Davyana	1/6	15/-	
Delaetii	5/-		
dichotoma L.	5/- to 50/-		
distans Haw.	1/6	15/-	
Dyeri	1/6	15/-	
echinatus	1/6	15/-	
ecklonis	1/6	15/-	
Eodori	5/-		
Eru	1/6	15/-	
falcata	1/6	15/-	
ferox Mill.	1/-	10/-	
fulgens	3/-	30/-	
glauca Marl.	1/-	10/-	
globuligemma	1/-	10/-	
gracilis	1/6	15/-	
grantidentata Salm.	2/6	25/-	
Greenii	1/6	15/-	
hereroensis Engl.	1/-	10/-	90/-
„ var. orpenae Pill.	1/6	15/-	
humilis Haw.	1/6	15/-	
Juttae Dtr.	3/-	30/-	
Krapohlana Marl.	3/-	30/-	
lactococcinea	3/-	30/-	
lateritia	2/-	20/-	
latifolia Haw.	1/6	15/-	
laxiflora	1/-	10/-	
lineata	1/6	15/-	
lingibracteata	1/6	15/-	
longistyla Bak.	1/6	15/-	
macracantha	1/6	15/-	
macrocarpa (seedlings)	1/-	10/-	
Marlothii Brgr.	1/6	15/-	
melanacantha	3/-	30/-	
microstigma	1/6 to 5/-		
mickbergensis Dtr.	3/-	30/-	
mitriformis Mill.	2/6	25/-	
myriacantha	10/-		
Muirii	1/6	15/-	
mutabilis	1/6	15/-	
obscura Mill.	3/0	30/-	

	each	doz.	100
ALOE L.:			
officinalis	1/6	15/-	
pachygaster Dtr.	3/-	30/-	
paniculata	3/-	30/-	
parvibracteata	1/6	15/-	
parvispina	1/6	15/-	
Paxii	3/-	30/-	
Pearsonii	3/-	30/-	
Peglerae	1/6	15/-	
percrassa (seedlings)	1/-	10/-	
petricola	1/6	15/-	
phaeophylla Dtr.	2/6	25/-	
plicatilis	1/6	15/-	
Pienarii	1/6	15/-	
pluridens Haw.	2/6	25/-	
pratensis	1/6	15/-	
pretoriensis	1/6	15/-	
purpurascens	2/-	20/-	
rubrolutea Schinz.	1/-	10/-	
rupestris	1/6	15/-	
Salm Dyckiana Schult fils.	1/6	15/-	
saponaria Haw.	1/6	15/-	
Schlechteri Brgr.	2/6	25/-	
Schimperi Tod.	5/-		
sessiliflora	1/6	15/-	
speciosa	1/6	15/-	
Simii	1/6	15/-	
striata Haw.	1/- to 10/-		
„ var. Hanburyana	2/-	20/-	
striatula	1/6	15/-	
succotrina	1/6	15/-	
supralaevis	1/6	15/-	
tenuior	1/6	15/-	
Thraski	1/6	15/-	
Tomlinsonii	2/-	20/-	
Triebneri Dtr.	10/-		
transvaalensis	1/6	15/-	
variegata L.	1/6	15/-	
vera	2/-	20/-	
vericunda	2/-	20/-	
Wickensii	1/6	15/-	
Winteri	1/6	15/-	
zebrina Bak.	2/-	20/-	

ANACAMPSEROS L.:

albissima Marl.	1/-	10/-	
Alstonii Schoenl.	2/6	25/-	
australiana L .M.Black.	2/6	25/-	
avasmontana Dtr.	-/6	4/6	25/-
„ var. caespitosa v. Poelln.	1/6	15/-	
Baeseckeii Dtr.	1/-	10/-	
Dielsiana Dtr.	1/-	10/-	

	each	doz.	100
ANACAMPSEROS L.:			
lanceolata Sweet.	1/-	10/-	
„ var. albiflora v. P.	1/-	10/-	
lanigera Burch.	1/6	15/-	
omaruruense Dtr.	2/6		
ombuense Dtr.	2/6		
papyracea E. Mey.	1/6	15/-	
quinaria E. Mey.	1/-	10/-	
rufescens Sweet.	1/6	15/-	
telephiastrum D.C.	1/6	15/-	
tomentosa Brgr.	1/-	10/-	
Wischkonii Dtr. et v. P.	5/-		
APICRA Willd.:			
aspera N. E. Br.	1/6 to 5/-	25/-	
deltoidea Bak.	1/6 to 3/-	20/-	
foliolosa Willd.	3/-	30/-	
Neillii v. P.	5/-	50/-	
pentagina Bak.	3/-	30/-	
pentagona Willd.	3/6	35/-	
rubriflora v. P.	3/-	30/-	
scraba v. P.	5/-	50/-	
spirella Bak.	1/6 to 5/-	15/-	
BOWIEA Harv.:			
volubilis Harv.	2/-	20/-	180/-
BRYOPHYLLUM Salisb.:			
calycinum Salisb.	1/-	10/-	
crenatum Bak.	1/-	10/-	
proliferum Bowie.	3/-	30/-	
tubiflorum Harv.	1/-	10/-	
BULBINE L.:			
aloides Harv.	1/6	15/-	
caulescens Haw.	1/-	10/-	
mesembryanthemoides Haw.	1/6	15/-	
tetraphylla Dtr.	2/-	20/-	
Triebneri Dtr.	2/6	25/-	
CARALLUMA R. Br.:			
arenicola N. E. Br.	1/6	15/-	
atrosanguinea N. E. Br.	2/6	25/-	
ausana Dtr.	4/-	40/-	
Burchardii N. E. Br.	1/6	15/-	
caudata N. E. Br.	3/-	30/-	
europaea N. E. Br.	2/6	25/-	
dependens N. E. Br.	2/6	25/-	
hottentottcrum N. E. Br.	5/-		
incarnata N. E. Br.	3/6	35/-	
Lugardi N. E. Br.	2/-	20/-	
lutea N. E. Br.	2/-	20/-	

	each	doz.	100
CARALLUMA R. Br.:			
mamillaris N. E. Br.	3/-	30/-	
Marlothii N. E. Br.	2/6	25/-	
Nebrownii Dtr. et Brgr.	1/-	10/-	75/-
parviflora N. E. Br.	1/6	15/-	
Leendertziae	5/-		
Pillansii N. E. Br.	3/6	35/-	
Pseudonebrownii Dtr.	1/6	15/-	125/-
Rangeana Dtr.	5/-		
ramosa N. E. Br.	5/-		
serpentina Nel.	8/-		
spec. Namib	5/-		
valida N. E. Br.	3/-	30/-	
Wilfridi Dtr.	5/-		
CERARIA Pears.:			
Schaeferi Engl. et Schltr.	3/- to 10/-		
CEROPEGIA L.:			
apiculata Schltr.	3/-	30/-	
fusca Bolle	3/-	30/-	
Sandersonii	3/-	30/-	
stapeliformis Haw.	2/6	25/-	
Woodii Schltr.	1/-	10/-	75/-
CHAMAEGIGAS Dtr.:			
intrepidus Dtr. (Bulbils)	1/-	10/-	75/-
CHORTELIRION:			
Bergerianum Dtr.	2/-	20/-	
CISSUS:			
Bainesii Gilg et Brandt.	5/- to 10/-		
Cramerianus Schinz.	20/- to 100/-		
Dinteri Schinz.	3/- to 10/-		
Juttae Dtr. et Gilg.	5/- to 50/-		
Fleckii Marl.	3/- to 10/-		
Marlothii Schinz.	5/- to 50/-		
COTYLEDON L.:			
ausana Dtr.	1/-	10/-	75/-
cacalioides	1/- to 5/-	25/-	
corruscans Haw.	2/-	20/-	
decussata Sims.	1/-	10/-	75/-
Dinteri Bak.	1/- to 5/-	20/-	175/-
gracilis	1/-	10/-	75/-
Hoerleiniana Dtr.	3/6		
Meyeri Schoenl.	1/6	15/-	120/-
orbiculata L.	1/-	10/-	60/-
„ var. Engleri Dtr.	1/6	15/-	120/-
„ var. oophylla Dtr.	1/-	10/-	75/-
paniculata L.	2/- to 30/-		

	each	doz.	100
COTYLEDON L.:			
papillaris Thbg.	1/6	15/-	120/-
Pearsonii Schld.	5/-		
pulverulenta	3/-	25/-	
reticulata Thbg.	1/6	15/-	100/-
semiorbiculata	1/-	10/-	
teretifolia	1/-	10/-	50/-
ventricosa Lam.	1/6	15/-	
Walichii	1/- to 10/-		
Wickensii	1/-	10/-	75/-
CRASSULA L.:			
alpestris Schoenl.	2/-		
Archeri Schoenl.	2/-	20/-	
arborescens Willd.	1/- to 5/-	15/-	100/-
argentea Thbg.	2/-	20/-	
Alstonii Marl.	1/6	15/-	
barbata	1/-	10/-	
canescens Roem et Schl.	1/-	10/-	
cephalophora Thbg.	1/6	15/-	
coccinea L.	1/6	15/-	
columbria	2/6	25/-	
columella	1/6	15/-	
columnaris Thbg.	1/6	15/-	
corallina Thbg.	1/-	10/-	60/-
Cooperi Rgl.	1/-	10/-	60/-
cordata Thbg.	1/6	15/-	100/-
cornuta Schoenl. et Bak.	1/6	15/-	
corymbulosa Link.	1/6	15/-	
Cotyledon	1/6	15/-	
cultrata L.	1/-	10/-	60/-
deceptrix Schoenl.	1/6	15/-	
decipiens N. E. Br.	1/-	10/-	75/-
deltoidea Thbg.	1/6	15/-	125/-
densifolia Harv.	1/-	10/-	60/-
Dregeana	3/-	30/-	
elata Fr.	1/6	15/-	
ericoides Haw.	1/-	10/-	60/-
expensa	1/-	8/-	50/-
falcata Wendt.	1/6 to 5/-	15/-	100/-
globosa	3/-	30/-	
grisea	3/-	30/-	
hemisphaerica Thbg.	2/-	20/-	
Hofmeyeriana Dtr.	3/-	30/-	
Justus Corderoy	1/6	15/-	
interrupta E. Mey.	1/6	15/-	
lactea Ait.	1/-	10/-	75/-
lycopodioides Lam.	-/6	4/6	30/-
marginalis Sol.	1/6	15/-	
mesembrianthemopsis Dtr.	1/6	15/-	125/-
montis Draconis Dtr.	2/-	20/-	
multicava Lam.	1/-	10/-	

	each	doz.	100
CRASSULA, L.:			
namaquana	1/6	15/-	
nemorosa Endl.	1/-	10/-	60/-
obvallata E. et Z.	1/-	10/-	
pachyphylla	1/6	15/-	
perfoliata L.	1/- to 3/-	15/-	100/-
perforata	1/6	15/-	
perfossa Lam.	1/6	12/-	
„ var. minor Schoenl.	1/-	10/-	
portulaca Lam.	1/-	10/-	
pseudo-lycopodioides Dtr. et Schinz.	-/6	4/6	30/-
punctatus Dtr.	1/-	10/-	
pyramidalis Thbg.	1/6	15/-	125/-
radicans	1/-	10/-	
rapacea Schoenl.	2/6	25/-	
remotifolia Dtr.	1/-	10/-	
rhomboidea Schoenl.	1/6	15/-	125/-
Rogersii	1/-	10/-	
rosularis Haw.	1/-	10/-	
rotundifolia Haw.	1/6	15/-	
rubicunda E. Mey.	1/6	15/-	
rupestris Thbg.	1/-	10/-	
Schmidtii Brgr.	1/6	15/-	
simiana Schoenl.	1/-	10/-	50/-
spathulata Thbg.	1/-	10/-	75/-
tecta Thbg.	1/-	10/-	75/-
teres Marl.	1/-	10/-	80/-
tetragona L.	1/-	10/-	75/-
tirasmontana Dtr.	2/-	20/-	150/-
trachysantha Harv.	1/-	10/-	75/-
Triebneri Dtr.	1/6	15/-	100/-
turrida Thbg.	1/-	10/-	75/-
tabularis Dtr.	1/6	15/-	100/-
CYANOTIS:			
somaliensis Clarke	2/-	20/-	
DIPLOCYATHUS N. E. Br.:			
ciliatus N.E. Br.	1/6	15/-	
DRIMIA:			
haworthioides	1/6	15/-	
DUVALIA Haw.:			
compacta Haw.	1/-	10/-	75/-
Corderoyi N. E. Br.	1/-	10/-	75/-
elegans Haw.	1/-	10/-	75/-
hirtella Sweet.	1/-	10/-	75/-
„ var. obscura N. E. Br.	1/-	10/-	75/-
maculata N. E. Br.	3/-		
parviflora N. E. Br.	1/-	10/-	75/-

	each	doz.	100
DUVALIA Haw.:			
Pillansii N. E. Br.	1/-	10/-	75/-
polita N. E. Br.	1/-	10/-	75/-
pubescens N. E. Br.	1/-	10/-	75/-
radiata Haw.	1/-	10/-	75/-
reclinata Haw.	1/-	10/-	75/-
transvaalensis Schltr.	1/-	10/-	75/-
Triebneri Dtr.	1/6	15/-	120/-
DYCKIA Schult.:			
sulphurea	3/-		
ECHINOTHAMNUS:			
Pechuellii Engl.	5/- to 100/-		
ECHEVERIA D. C.:			
agavoides Lem.	2/-	15/-	
albo-carinata	2/-	20/-	
alpina	1/6	15/-	
amethystina	2/-	20/-	
arizonica	1/-	10/-	75/-
carnicolor	1/-	10/-	75/-
clavifolia	2/6	25/-	
Derenbergii J. A. Purp.	1/6	15/-	
Desmetiana L. de Sm.	2/-	20/-	
edulis Brgr.	3/-		
gibbiflora D. C.	1/6	15/-	
„ var. metallica Bak.	2/-	20/-	
Goldmannii	2/-	20/-	
grandicepata	1/6	15/-	
linguefolia	1/6	15/-	
metallica Bak.	1/6	15/-	
metallicavalida hort.	2/6	25/-	
montana	1/6	15/-	
mucronata Schltr.	2/-	20/-	
multicaulis Rose.	1/-	10/-	
Membergii	1/-	10/-	
nobilis	1/-	10/-	
parletta	2/6		
Peacockii Cr.	1/6	15/-	120/-
perelegans Brgr.	1/6	15/-	120/-
peruviana	1/6	15/-	120/-
pilosa J. A. Purp.	2/-	20/-	
retusa Lindl.	2/-	20/-	
rosea Lindl. et Arnd.	2/6		
scheideckeri hort.	1/-	10/-	75/-
secunda-glauc	1/-	10/-	75/-
„ var. cristata	2/6	25/-	
setosa Rose et Purp.	1/6	15/-	
subrigida	1/-	10/-	
valida hort.	3/-	25/-	
Weinbergii Rose.	1/-	10/-	75/-

	each	doz.	100
ECHIDNOPSIS Hook.:			
cereiformis Hook fils.	1/-	10/-	60/-
Dammanniana Spreng.	1/-	10/-	60/-
EULOPHIA:			
hereroense	2/6		
ERYTHRINA Harms.:			
caffra	2/-		
corallina	3/-		
decora Harms.	3/-		
Zeyheri Bak.	5/- to 15/-		
EUPHORBIA L.:			
abessynica Baeuschel.	10/-		
aggregata Brgr.	2/-	20/-	
alcicornis Bak.	2/- to 5/-	25/-	
Ammak Schweinf.	10/-		
antiquorum L.	3/-	30/-	
aphylla Brouss.	2/-	20/-	
argillicola Dtr.	5/- to 10/-		
avasimontana Dtr.	3/- to 20/-	20/-	
balsamifera	2/6	25/-	
Béaumeriana Ait.	5/-		
Bergeriana Dtr.	3/- to 10/-		
brachiata E. Mey.	1/6 to 10/-	25/-	
bubalina Boiss.	2/6	25/-	
bupleurifolia Jaqu.	1/6 to 10/-	15/-	
canariensis L.	1/6 to 5/-		
captiosa	6/-		
caput-Medusae L.	2/6	25/-	
carinata Lodd.	3/-	30/-	
caterviflora	5/-		
cereiformis	2/-	20/-	
cervicornis Boiss.	5/-		
clandestina Jacq.	1/- to 10/-	15/-	
clava Jacq.	1/6	15/-	
coerulescens Haw.	1/6 to 10/-		
consoquittae	2/-		
Cooperi N. E. Br.	1/6	15/-	
crassipes Marl.	3/- to 5/-	25/-	
crotonoides Boiss.	2/6	25/-	
cumulata Marl.	3/- to 5/-	25/-	
dendroides L.	3/- to 10/-		
Dinteri Brgr.	5/- to 50/-		
„ spec. Etiro	8/-		
„ „ Karras	10/-		
„ „ Nauklufft	10/-		
„ „ Neuras	10/-		
Drègeana E. Mey.	1/6 to 10/-		
echinus Hook f.	3/-		
elliptica Marl.	1/6	15/-	
enopla Boiss.	1/6 to 10/-		
esculenta Marl.	1/6	15/-	

	each	doz.	100
EUPHORBIA L.:			
Evansii Marl.	3/-	30/-	
fasciculata Marl.	3/- to 10/-		
ferox Marl.	3/- to 10/-	25/-	
filiflora Marl.	3/- to 5/-	30/-	
Fournieri hort.	5/-		
fimbriata Haw.	2/- to 5/-	20/-	
Friedrichae Dtr.	5/- to 10/-	45/-	
fumalis Haw.	2/- to 5/-	25/-	
globosa Sims.	2/-	18/-	
gorgonis Marl.	1/6 to 5/-	15/-	
grandicornis Goeb.	5/-		
grandidens Haw.	1/6 to 5/-	15/-	
Grantii Sweet.	5/-		
gregaria Marl.	3/- to 10/-	30/-	
Guerichiana Pax.	5/- to 20/-	45/-	
gummifera Boiss.	5/-	45/-	
hamata Sweet.	1/6	15/-	
heptagona L.	1/6 to 5/-	15/-	
Hermentiana Lam.	1/6 to 5/-	15/-	
Hoelcheriana Marl.	15/-		
horrida Boiss.	3/- to 100/-		
hottentottorum Marl.	5/- to 30/-		
inconstantia Marl.	4/- to 10/-		
inermis Marl.	1/6 to 10/-	20/-	
intermedia Dyer	1/6	15/-	
Juttae Dtr.	2/6	25/-	
karrasmontana Dtr.	5/- to 50/-		
lactea Haw.	2/- to 10/-	25/-	
Laro Drake.	3/-		
Ledienii Brgr.	2/6 to 10/-		
lignosa Marl.	3/- to 10/-	30/-	
mamillaris L.	1/6 to 10/-	15/-	
Marientalis Croizat.	5/-	50/-	
mauretanica L.	1/6 to 10/-	15/-	
meloformis Ait.	1/- to 5/-	15/-	
micracantha Marl.	5/-		
Monteiroi Hook. f.	3/- to 30/-	25/-	
Morinii Brgr.	5/-		
Muirii Haw.	2/-	20/-	
multiceps Brgr.	5/-	50/-	
namibensis Marl.	5/-	50/-	
neriifolia L.	5/-		
obesa Hook. f.	3/- to 50/-	30/-	
orabensis Dtr.	5/- to 10/-	50/-	
ornithopus Jacq.	1/6 to 3/-	15/-	
pendula Boiss.	2/6		
pentagona Haw.	1/6 to 3/-	20/-	
pentops Marl.	3/- to 10/-	30/-	
Pillansii Marl.	3/- to 10/-	30/-	
polycephala Marl.	3/- to 5/-	30/-	
polygona Haw.	1/6 to 5/-	15/-	

	each	doz.	100
EUPHORBIA L.:			
procumbens Mill.	3/- to 15/-		
pseudobrachiata Dtr.	1/6 to 10/-		
pseudocactus Brgr.	3/-		
pseudoglobosa Marl.	3/- to 5/-		
pteroneura Brgr.	1/6 to 3/-		
pugniformis Boiss.	3/- to 10/-	30/-	
pulvinata Marl.	2/6 to 8/-	25/-	
Rangeana Dtr.	3/- to 15/-	30/-	
regis Jubiae Webb. et Barth.	1/-	10/-	
repens	1/-		
resinifera Brgr.	1/- to 15/-		
rugosa Marl.	5/- to 10/-	45/-	
Schaeferi Dtr.	5/- to 10/-	45/-	
Schinzii Marl.	5/- to 10/-	45/-	
Schoenlandii Marl.	3/- to 10/-	30/-	
scolopendria Don.	3/- to 10/-		
similis Brgr.	6/- to 10/-		
siliciicola Dtr.	3/-		
spartiaria N. E. Br.	3/- to 5/-	25/-	
splendens Boijer.	3/- to 5/-		
squarrosa Haw.	3/- to 10/-	20/-	
stapelioides Boiss.	3/-	30/-	
stellaspinæ Haw.	1/6 to 5/-	20/-	
stellata Willd.	3/- to 5/-		
stolonifera Marl.	2/6 to 5/-		
submamillaris Brgr.	1/6 to 5/-		
Susannæ Marl.	3/- to 10/-	30/-	
tetragona Bak.	3/- to 10/-		
Tirucalli L.	1/- to 5/-	15/-	
triangularis Desf.	1/6 to 5/-		
Triebneri Marl.	5/- to 10/-	50/-	
tridentata Marl.	3/-	25/-	
trigona Haw.	3/- to 5/-		
truncata Marl.	3/- to 10/-	30/-	
tuberculata Jacq.	3/- to 25/-		
tuberosa Marl.	3/- to 10/-		
tubiglans Marl.	3/- to 5/-		
valida Haw.	1/6 to 5/-	20/-	
venenata Marl.	10/- to 50/-		
verruculosa N. E. Br.	3/- to 10/-		
viperina Brgr.	3/- to 15/-		
virosa Willd.	3/- to 10/-		
„ striata Marl.	4/- to 15/-		
Volkmanniæ Dtr.	3/- to 15/-		
Wilmannæ Marl.	2/6 to 5/-	25/-	
xylophlloides A. d. Brougn.	3/-		
spec. Queenstown	3/-		
„ Kleepforte	10/-		
„ Namib	15/-		
„ Pforte	5/-		
„ Usakos	10/-		

	each	doz.	100
GASTERIA Duv.:			
acinacifolia Haw.	2/-	18/-	
„ var. ensifolia v. P.	2/-	20/-	
„ var. venusta Haw.	3/-	30/-	
angulata v. P.	3/-	30/-	
Armstrongii Schoenl.	3/-	30/-	
austro-occidentalis Dtr.	5/-	50/-	
Bakeri Schoenl.	3/-	30/-	
brachyphylla v. P.	2/-	20/-	
brevifolia Haw.	2/-	20/-	
calubrina v. P.	2/-	20/-	
candicans Haw.	1/-	10/-	
carinata Haw.	3/-	30/-	
conspurgata Schoenl.	3/-	30/-	
Croucheri Bak.	3/-	30/-	
decipiens v. P.	3/-	30/-	
disticha v. P.	3/-	30/-	
„ var. truncata v. P.	3/-	30/-	
excavata Haw.	2/6	25/-	
fasciata Haw.	5/-	55/-	
gigantea hort.	3/-		
glabra Haw.	2/-	20/-	
gracilis v. P.	5/-	50/-	
„ var. minima v. P.	5/-	50/-	
hirsuta Bak.	2/6	25/-	
laetopunctata N. E. Br.	3/-	30/-	
lingua Brgr.	2/6	25/-	
linguiformis Haw.	3/-	30/-	
humilis Haw.	3/-	30/-	
maculata Haw.	1/6	15/-	
minima Bak.	1/6	15/-	
multipunctata hort.	1/6	15/-	
natalensis Bak.	1/6	15/-	
nigricans Haw.	2/-	20/-	
„ var. glabra v. P.	3/-	30/-	
Neliana v. P.	4/-	35/-	
nitida v. P.	3/6	35/-	
„ var. grandipunctata v. P.	3/-	30/-	
obtusifolia Haw.	3/-	30/-	
parvifolia Haw.	2/-	20/-	
picta Haw.	2/-	20/-	
pluripuncta hort.	2/-	20/-	
prolifera Lam.	3/-	30/-	
pulchra Haw.	1/6	15/-	
punctata hort.	1/-	10/-	
retata Haw.	2/6	25/-	
Saurienii hort.	4/-	40/-	
trigona Haw.	2/-	20/-	
variolosa Haw.	2/6	25/-	
verrucosa Haw.	2/-	20/-	
„ var. indermedia Bak.	2/-	20/-	

	each	doz.	100
GLORIOSA L.:			
Rotschildiana	3/-		
superba	3/-		
virescens Lindl.	3/-	25/-	
GRENOVIA W. et B.			
aurea W. et B.	2/-	20/-	
gracilis W. et B.	1/6	15/-	
HABENARIA:			
lorata	3/-		
HAWORTHIA Duv.:			
albanensis Salm.	1/-	10/-	
albicans Bak.	1/-	10/-	
altilinea Haw.	3/-	30/-	
aloefolia hort.	2/6	25/-	
angustifolia v. P.	3/-	30/-	
arachnoides Haw.	2/6	25/-	
asperula Haw.	2/6	25/-	
atrovirens Haw.	1/6	15/-	
attenuata Haw.	2/-	20/-	
„ var. clariperla Bak.	2/6	25/-	
Bolusii v. P.	3/-	30/-	
Byliana v. P.	5/-		
Chalwinii Marl. et Brgr.	3/-	30/-	
chloracantha Haw.	2/-	20/-	
coarctata Haw.	3/-	30/-	
cuspidatus Haw.	3/-	30/-	
cymbiformis Haw.	2/6	25/-	
„ var. planifolia Haw.	3/-	30/-	
columnaris Haw.	2/6	25/-	
decussata Bak.	2/6	25/-	
dentata Haw.	3/-	30/-	
denticulata Haw.	1/6	15/-	
Engleri Dtr.	1/6	15/-	
fallax v. P.	5/-		
fasciata Haw.	1/6	15/-	
ferox Haw.	1/6	15/-	
glabra Bak.	1/6	15/-	
„ var. concolor Salm.	1/6	15/-	
glauc v. P.	1/6	15/-	
gracilis Haw.	3/-	30/-	
granulata v. P.	2/6	25/-	
Greenii Black.	3/-	30/-	
Haageana v. P.	4/-	40/-	
Herrei v. P.	2/6	25/-	
Hurlingii v. P.	1/6	15/-	
incurvula v. P.	1/6	15/-	
laetevirens Bak.	3/-	30/-	
limifolia Haw.	3/-	30/-	
margaretifera Haw.	3/-	30/-	
„ var. granata Haw.	3/-	30/-	
„ var. perlata v. P.	3/-	30/-	

	each	doz.	100
HAWORTHIA Duv.:			
marginata v. P.	2/6	25/-	
Maughanii v. P.	5/-		
minima Haw.	2/-	20/-	
mirabilis Haw.	2/6	25/-	
papillosa Haw.	2/6	25/-	
paradoxa Haw.	3/-	30/-	
pseudofesselata v. P.	3/-	30/-	
pilifera Bak.	2/6	24/-	
planifolia Haw.	2/6	25/-	
pulchra v. P.	2/6	25/-	
radula Haw.	2/6	25/-	
recurva Haw.	2/6	25/-	
reticulata Haw.	2/6	25/-	
retusa Haw.	2/6	25/-	
Reinwardii Haw.	1/-	10/-	
„ var. minor Bak.	1/-	10/-	
rigida Haw.	3/-	30/-	
rugosa Bak.	2/6	25/-	
Schmidtiana v. P.	3/-	30/-	
semi-glabrata v. P.	2/-	20/-	
„ var. papillosa v. P.	2/6	25/-	
setata Haw.	2/6	25/-	
„ var. aranea v. P.	1/6	15/-	
sordita Bak.	6/-		
Starkiana v. P.	5/-		
subattenuata Haw.	1/6	15/-	
subfasciata Bak.	2/-	20/-	
Taylori Bak.	3/-	30/-	
tenera v. P.	3/-	30/-	
tesselata Haw.	1/6	15/-	
„ var. parva Bak.	3/-	30/-	
tortuosa Haw.	2/-	20/-	
translucens Haw.	2/-	20/-	
truncata Schoenl.	3/-	30/-	
„ var. congesta v. P.	5/-		
tuberculata Haw.	2/6	25/-	
turgida Haw.	1/6	15/-	
variegata v. P.	1/6	15/-	
venosa Haw.	1/6	15/-	
viscosa Haw.	2/-	20/-	
„ var. concinna Haw.	2/6	25/-	
„ var. pseudotortuosa v. P.	2/6	25/-	

HEURNIA R. Br.:

barbata Haw.	1/6	15/-	100/-
brevirostris N. E. Br.	1/6	15/-	100/-
campanulata R. Br.	1/6	15/-	100/-
clavigera Haw.	1/6	15/-	100/-
hystrix N. E. Br.	1/-	10/-	75/-
Kirkii N. E. Br.	1/-	10/-	75/-
Loeseriana Schltr.	1/6	15/-	120/-

	each	doz.	100
HEURNIA R. Br.:			
longituba N. E. Br.	1/—	10/—	75/—
oculata Hook f.	1/6	15/—	120/—
Penzigii N. E. Br.	1/6	15/—	120/—
Pillansii N. E. Br.	1/6	15/—	
primulina N. E. Br.	1/6	15/—	120/—
reticulata Haw.	1/6	15/—	100/—
scabra N. E. Br.	1/6	15/—	100/—
„ var. ecornuta N. E. Br.	1/6	15/—	100/—
Thureti Oels.	1/—	10/—	75/—
transvaalensis Stent.	1/6	15/—	120/—
Voigtsii Phillips.	1/6	15/—	120/—
zebrina N. E. Br.	3/—	30/—	250/—
spec. No. 699	3/—		
„ „ 608	3/—		
„ „ 704	2/6		
„ „ 706	2/6		
„ „ 707	2/6		
„ „ 708	3/—		
„ „ 710	4/—		
„ „ 712	2/6		
HEURNIOPSIS N. E. Br.			
decipiens N. E. Br.	1/—	10/—	75/—
viridis Dtr.	2/6	25/—	
HOODIA Sweet.:			
Curori Decne.	5/—		
macrantha Dtr.	5/—		
HOODIOPSIS Lueckh.:			
Triebneri Lueckh.	10/—		
HOYA R. Br.:			
carnosa R. Br.	1/6	15/—	
KALANCHOE Adams.:			
crenata Haw.	1/—	10/—	
carnea N. E. Br.	1/—	10/—	
coccinea Welw.	1/—	10/—	
Daigremontana hort.	1/—	10/—	
Feldhamensis	2/6	25/—	
flammea Stapf.	1/—	10/—	
globularis var. coccinea	1/—	10/—	
grandiflora Wight et Arn.	1/6	15/—	
gregaria Dtr.	1/—	10/—	
hirta Harv.	1/—	10/—	
Luebbertiana Loes.	1/—	10/—	
maculata	2/6	25/—	
marmorata Bak.	2/6	25/—	
orbiculata	1/6	15/—	

	each	doz.	100
KALANCHOE Adams.:			
pruinosa Dtr.	1/-	10/-	50/-
rotundifolia Haw.	1/-	10/-	
somalica Hook f.	1/6	15/-	
thyrsiflora Harv.	1/6	15/-	
undulata	1/6	15/-	
Welwitschii	2/6	25/-	
KLEINIA L.:			
amaniensis Brgr.	1/6	15/-	
articulata Haw.	1/-	10/-	
cylindrica Brgr.	1/6	15/-	
fulgens Hook f.	1/6	15/-	
Grantii Hook f.	1/6	15/-	
neriifolia Haw.	1/6	15/-	
pendula D. C.	2/-		
repens Haw.	1/-	10/-	50/-
spinosa D. C.	1/6	15/-	
tomentosa Haw.	1/6	15/-	
LENOPHYLLUM Rose:			
pusillum Rose.	1/-	10/-	
MONANTHUS Haw.:			
anagensis Brgr.	1/-	10/-	
laxiflora Bolle.	1/-	10/-	
polyphyllum Haw.	1/-	10/-	
OTHONNA L.:			
crassifolia Haw.	1/-	10/-	
Triebneri Dtr.	1/6	15/-	
PACHYPHYTUM Link.:			
bracteosum Link.	1/6	15/-	
brevifolium Rose.	1/6	15/-	
oviferum Purp.	3/-	30/-	
uniflorum Rose.	1/6	15/-	
PACHYVERIA hort.:			
glauca hort.	1/6	15/-	
PELARGONIUM L'Hérit.:			
roessingense Dtr.	2/6	25/-	
tetragonum	2/-	20/-	
spinosum Willd.	3/-	30/-	
xerophytum Schltr.	5/-	50/-	
PECTINARIA Haw.:			
asperiflora N. E. Br.	2/6	25/-	
saxatilis N. E. Br.	2/6	25/-	
tulipiflora Nel.	2/6	25/-	

	each	doz.	100
PIARANTHUS R. Br.:			
comptus N. E. Br.	1/-	10/-	
decorus N. E. Br.	1/-	10/-	
disparilis N. E. Br.	1/-	10/-	
foetidus N. E. Br.	1/-	10/-	
„ var. multipunctatus			
N. E. Br.	1/6	15/-	
Framesii Pillans.	1/-	10/-	
Nebrownii Dtr.	1/6	15/-	
parvulus N. E. Br.	1/-	10/-	
Pillansii N. E. Br.	1/6	15/-	
„ var. inconstans N.E.Br.	1/6	15/-	
punctatus R. Br.	1/-	10/-	
PORTULACA N. E. Br.:			
kermesina N. E. Br.	1/-	10/-	
PORTULACARIA Jacq.:			
afra Jacq.	1/-	10/-	
PTERODISCUS Welw.:			
aurantiacus Welw.	1/6	15/-	
lurius Haw.	1/6	15/-	
PUYA:			
brasiliensis	3/-		
SANSEVIRA Thbg.:			
cylindrica Boj.	1/6	15/-	
thyrsoides Thbg.	1/6	15/-	
metallica N.E. Br.	2/-	20/-	
zeylanica Willd.	2/6	25/-	
SEDUM L.:			
Adolphii	1/6	15/-	
alantoides Rose.	1/6	15/-	
album L.	1/-	10/-	
„ var. chloratum	1/-	10/-	
„ var. fimurale	1/-	10/-	
album var. laconium	1/-	10/-	
Aizoon hort.	1/-	10/-	
altissum Poiret.	1/6	15/-	
anacampseros L.	1/6	15/-	
bella	1/-	10/-	
Chaveaudi	1/-	10/-	
chrysanthus	1/-	10/-	
coccineum	1/-	10/-	
dasyphyllum	1/-	10/-	
dendroideum Moc. et Sess.	1/-	10/-	
diversifolium Rose.	1/-	10/-	
Douglasii	1/-	10/-	
Eichlami W.	2/6	25/-	
europaeum	1/-	10/-	
Ewersi Lod.	1/-	10/-	
„ var. turcestanum	1/6	15/-	

	each	doz.	100
SEDUM L.:			
farinosum Rose.	1/-	10/-	
griseum	1/-	10/-	
kamtschaticum Fisch. et Mey.	1/-	10/-	
lineare Thbg.	1/-	10/-	
„ fol. var. Prgr.	1/-	10/-	
lydium Boiss.	1/-	10/-	
meucanium	1/-	10/-	
Middendorffianum Max.	1/-	10/-	
moranense Br. et Rose.	1/-	10/-	
multiceps	1/-	7/6	
Nussbaumianum Bitter.	1/-	7/6	
oaxacanium	1/-	10/-	
oreganum Nuttall.	1/-	10/-	
Palmeri W. Wats.	1/-	10/-	
reflexum Linn.	1/-	10/-	
roseum Stev.	1/-	10/-	
sarmentosum hort.	1/-	10/-	
Sieboldii Sweet.	1/6	15/-	
„ fol. var. hort.	1/6	15/-	
spathulatum	1/-	10/-	
„ var. atropurpureum	1/-	10/-	
„ var. portulacum	1/-	10/-	
Stahlii Solms.	1/-	10/-	
stolonifera S. T. Gmelin.	1/-	10/-	
Stribengi	1/-	10/-	
Treleasi Rose.	1/6	15/-	
praealtum	1/-	10/-	

SEMPERVIVUM L. (AEONIUM):

arboreum W. et B.	1/-	10/-	
„ var. atropurpureum hort.	1/6	15/-	
Burchardi PRGR.	1/6	15/-	
caespitosum W. et B.	1/6	15/-	
canariense W. et B.	1/6	15/-	
Haworthii Salm.	1/-	10/-	
hierrense Pit. et Prst.	1/6	15/-	
tabulaeforme W. et B.	2/-		

SARCOSTEMMA R. Br.:

andongense Hiern.	2/-	20/-	
viminale R. Br.	1/-	10/-	

SENECIO L.:

adenocalyx Dtr.	1/6	15/-	100/-
cakilefolius D. G.	1/6	15/-	100/-
longiflorus Oliver.	1/-	10/-	75/-
mikanioides Otto.	1/-	10/-	75/-
pyramidatus D. C.	1/6	15/-	100/-
rhopaladenia Dtr.	1/6	15/-	100/-
scaposus D. C.	1/6	15/-	100/-
stapeliformis Thbg.	2/6	25/-	
Triebneri Dtr.	2/-	20/-	

	each	doz.	100
STAPELIA L.:			
acuminata Mass.	1/6	15/-	
„ var. brevirostris N.E.Br.	1/6	15/-	
albo-castanea Marl.	3/-	30/-	
aperta Nel.	5/-		
Arnoti N. E. Br.	3/-	30/-	
asterias Mass.	1/-	10/-	
ausana Dtr. et Brgr.	5/-		
Beukmanni Pill.	10/-		
conformis N. E. Br.	1/6	15/-	
Cooperi N. E. Br.	1/-	10/-	75/-
cylista Lueckh.	2/6		
Desmetiana N. E. Br.	1/-	10/-	
Dinteri Brgr.	2/6	25/-	
divaricata Mass.	4/-	40/-	
Engleriana Schltr.	1/6	15/-	
flavirostris N. E. Br.	1/-	10/-	
flavopurpurea Marl.	1/6	15/-	
Fleckii Brgr. et Schltr.	1/6	15/-	
gemmiflora Mass.	1/-	10/-	
Gettleffii Pott.	3/-		
gigantea N. E. Br.	1/-	10/-	
„ var. palida Phill.	2/6		
glabricaulis N. E. Br.	1/6	15/-	
grandiflora Mass.	1/-	10/-	
grandis Pill.	1/6	15/-	
hirsuta L.	1/-	10/-	75/-
„ var. patula N. E. Br.	1/6	15/-	
hottentottorum Nel.	5/-		
Juttae Dtr.	3/-		
kwebensis N. E. Br.	2/6		
Leendertziae N. E. Br.	1/-	10/-	75/-
longepedicellata N. E. Br.	1/6	15/-	100/-
longipes Dtr.	5/-		
namaquensis N. E. Br.	4/-		
nobilis N. E. Br.	1/-	10/-	
Nouhuysii Phill.	5/-		
nudiflora Pill.	1/6	15/-	
pachyrrhiza Dtr.	5/-		
olivacea N. E. Br.	1/6	15/-	
parvipuncta N. E. Br.	2/6	25/-	
pedunculata N. E. Br.	1/6	15/-	
Peglerae N. E. Br.	2/6	25/-	
Pillansii N. E. Br.	1/-	10/-	
portae-aurinae Dtr. et Brgr.	2/6	25/-	
pulchella Mass.	1/6	15/-	
pulvinata Mass.	2/6	25/-	
revoluta Mass.	2/6	25/-	
rubicunda Nel.	5/-		
rufa Mass.	1/-	10/-	
Schinzii Brgr. et Schltr.	1/-	10/-	75/-
senilis N. E. Br.	4/-		

	each	doz.	100
STAPELIA L.:			
Tapskotti Verdoorn	2/6	25/-	
tsomoensis N. E. Br.	3/-	30 -	
variegata L.	1/-	10/-	75/-
„ var. bufonia N. E. Br.	1/-	10/-	75/-
„ var. laeta N. E. Br.	1/6	15/-	100/-
„ var. mixta N. E. Br.	1/6	15/-	100/-
verrucosa Mass.	1/-	10/-	
vetula Mass.	1/-	10/-	
virescens N. E. Br.	2/-	20/-	
Wilmannae Lueckh.	3/-	30/-	
Whiteana Dtr.	10/-		
STAPELIOPSIS Pill.:			
Cooperi Phillips.	2/-	20/-	
TAVARESIA Welw.:			
angolensis Welw.	15/-		
Barklyi N. E. Br.	2/6	25/-	
grandiflora Brgr.	2/6	25/-	
TRICHOCAULON N. E. Br.:			
columnare Nel.	25/-		
Delaetianum Dtr.	5/-		
Dinteri Brgr.	2/6 to 5/-	30/-	
Engleri Dtr.	2/6 to 8/-	36/-	
Keetmanshoopense Dtr.	2/6 to 8/-	36/-	
meloforme Marl.	3/- to 8/-	40/-	
officinale N. E. Br.	5/-	50/-	
pedicellatum Schinz.	10/- to 20/-		
piliferum N. E. Br.	4/- to 10/-	45/-	
Pillansii N. E. Br.	5/- to 10/-	50/-	
simile N. E. Br.	10/-		
sinus-Luederitzii Dtr.	2/6 to 10/-	36/-	
UMBILICUS D. C.:			
pendulinus D. C.	2/-		
YUCCA L.:			
aloefolia L.	-/9	6/-	
filamentosa L.	5/-		
Treculeana Engm.	1/-	10/-	

MESEMBRYANTHEMA

	each	doz.	100
ACRODON N. E. Br.:			
<i>bellidiflorus</i> N. E. Br.	1/-	10/-	
ALOINOPSIS Schwant.:			
<i>alpestris</i> L. Bol.	3/-		
<i>Jamesii</i> L. Bol.	1/6	15/-	
<i>Orpenii</i> L. Bol.	2/-	20/-	
<i>Peersii</i> L. Bol.	1/6	15/-	
<i>Schoenesii</i> L. Bol.	1/6	15/-	
APTENIA N. E. Br.:			
<i>cordifolia</i> Schw.	-/6	4/6	
,, fol. var. Schw.	1/-	10/-	
ARGETA N. E. Br.:			
<i>petrensis</i> N. E. Br.	3/-	30/-	
ARGYRODERMA N. E. Br.:			
<i>angustipetala</i> L. Bol.	3/-		
<i>Braunsii</i> N. E. Br.	1/6	15/-	
<i>fissum</i> N. E. Br.	3/-		
<i>Framesii</i> L. Bol.	1/6 to 3/-		
<i>Lesliei</i> N. E. Br.	3/-		
<i>leucanthema</i> L. Bol.	2/6		
<i>Jacobsenianum</i> Schw.	5/-		
<i>necopium</i> N. E. Br.	3/-		
<i>octophyllum</i> Schw.	2/6	25/-	
<i>ovale</i> L. Bol.	2/6	25/-	
<i>Schlechteri</i> Schw.	3/-		
<i>Schuldtii</i> Schw.	3/-		
<i>subalbum</i> N. E. Br.	3/-		
<i>testiculare</i> N. E. Br.	1/6	15/-	
<i>Villettii</i> L. Bol.	3/-		
ARIDARIA N. E. Br.:			
<i>brevifolia</i> L. Bol.	1/-	10/-	
<i>Byliae</i> L. Bol.	1/-	10/-	
<i>noctiflora</i> N. E. Br.	1/-	10/-	
ASTRIDIA Dtr.:			
<i>maxima</i> Dtr.	3/-		
<i>velutina</i> Dtr.	3/-		
BERGERANTHUS Schw.			
<i>multiceps</i> N. E. Br.	1/-	10/-	75/-
<i>rhomboideus</i> L. Bol.	2/-	20/-	
<i>scapigerus</i> N. E. Br.	1/-	10/-	75/-
<i>verpertinus</i> Schw.	1/-	10/-	75/-
BYLIA N. E. Br.:			
<i>cana</i> N. E. Br.	1/6	15/-	

	each	doz.	100
CALAMOPHYLLUM Schw.:			
Tugwelliae L. Bol.	1/6	15/-	
CARPOBROTUS N. E. Br.:			
acinaciformis Schw.	1/-	10/-	
edulis N. E. Br.	1/-	10/-	
CEPHALOPHYLLUM N. E. Br.:			
Alstonii L. Bol.	1/6	15/-	
europhyllum Dtr. et Schw.	1/6	15/-	
ebracteatum Dtr. et Schw.	1/6	15/-	
inaequalis L. Bol.	1/6	15/-	
Framesii L. Bol.	1/6	15/-	
regale L. Bol.	1/-	10/-	
subulatoides L. Bol.	1/6	15/-	
spongiosum L. Bol.	1/6	15/-	
tricolorum N. E. Br.	1/6	15/-	
CEROCHLAMYS N. E. Br.:			
trigona N. E. Br.	2/-	20/-	
CHASMATOPHYLLUM Dint. et Schw.			
musculinum Dtr. et Schw.	1/-	10/-	60/-
Nellii L. Bol.	1/-	10/-	60/-
Willowmoorensis L. Bol.	1/-	10/-	60/-
CHEIRIDOPSIS N. E. Br.:			
acuminata L. Bol.	1/6	16/-	
alata L. Bol.	3/-	30/-	
angustipetala L. Bol.	2/6	25/-	
aspera L. Bol.	3/-	30/-	
aurea L. Bol. var. lutea L. Bol.	3/-	30/-	
brachystigma L. Bol.	4/-	40/-	
brevipes L. Bol.	3/-	30/-	
candidissima N. E. Br.	1/6	15/-	
carinata L. Bol.	3/-	30/-	
Caroli-Schmidtii Dtr. et Schw.	2/-	20/-	150/-
cigarrettiifera N. E. Br.	2/-	20/-	
compressa L. Bol.	4/-	40/-	
Comptoni L. Bol.	3/-	30/-	
crassa L. Bol.	3/-	30/-	
Derenbergiana Schw.	3/-	30/-	
Herrei L. Bol.	3/-	30/-	
Hilmari L. Bol.	5/-	50/-	
Johannes-Winckleri Schw.	1/6	15/-	
inaequalis L. Bol.	1/6	15/-	
insignis Schw.	2/-	20/-	
inspersa L. Bol.	1/6	15/-	
Marlothi N. E. Br.	1/6	15/-	
Meyeri N. E. Br.	3/-	30/-	
peculiaris N. E. Br.	1/-	10/-	
Pillansi L. Bol.	2/6	25/-	
pulverulenta L. Bol.	3/-	30/-	

	each	doz.	100
CHEIRIDOPSIS N. E. Br.:			
Ricardiana L. Bol.	3/-	30/-	
rudis L. Bol.	3/-	30/-	
serrulata L. Bol.	1/6	15/-	
Smitheri Tr.	3/-	30/-	
Triebneri Schw.	3/-	30/-	
tuberculata L. Bol.	2/6	25/-	
turbinata var. minor L. Bol.	2/6	25/-	
van Zylia L. Bol.	2/6	25/-	
CONOPHYLLUM Schw.:			
Herrei Schw.	5/-		
CONOPHYTUM N. E. Br.:			
bilobum N. E. Br.	2/6	25/-	
brevier N. E. Br.	1/6	15/-	
Braunsii Schw.	3/-	30/-	
calculus N. E. Br.	1/-	10/-	
ectypum N. E. Br.	3/-	30/-	
Fulleri L. Bol.	3/-	30/-	
fraternum N. E. Br.	2/-	20/-	
frutescens Schw.	2/-	20/-	
gratum N. E. Br.	2/6	25/-	
Herrrei Schw.	4/-	40/-	
Johannis Winckleri Dtr. et Schw.	3/-	30/-	
kubusanum N. E. Br.	2/6	25/-	
lignosum L. Bol.	2/6	25/-	
Luisae Schw.	3/-	30/-	
Meyerae Schw.	3/-	30/-	
minutum N. E. Br.	1/6	15/-	
minusculum L. Bol.	2/6	25/-	
Muirii L. Bol.	2/6	25/-	
muscosipapillatum Lavis.	2/6	25/-	
Nelianum Schw.	2/-	20/-	
Nevillei N. E. Br.	3/-	30/-	
obscurum N. E. Br.	1/6	15/-	
odoratum N. E. Br.	1/6	15/-	
ornatum Lavis.	2/6	25/-	
pauxillum N. E. Br.	2/6	25/-	
Peersii L. Bol.	2/-	20/-	
Pearsonii var. minor N.E.Br.	3/-	30/-	
praeparvum N. E. Br.	3/-	30/-	
ramosum Lavis.	2/-	20/-	
Ricardianum Schw.	3/-	30/-	
saxatanum N. E. Br.	1/6	15/-	
Stephanii Schw.	5/-	50/-	
van rheinsdoorpense Schw.	2/-	20/-	
Wigittae N. E. Br.	2/-	20/-	
Wettsteinii N. E. Br.	2/6	25/-	
velutinum Schw.	2/6	25/-	
CORPUSCULARIA Schw.:			
Lehmanni Schw.	1/-	7/6	

	each	doz.	100
CYLINDROPHYLLUM Schw.:			
albidum L. Bol.	1/6	15/-	
Bainii L. Bol.	1/6	15/-	
calamiforme Schw.	1/6	15/-	
Comptonii L. Bol.	1/6	15/-	
DELOSPERMA Schw.:			
Cooperi N. E. Br.	1/-	10/-	60/-
Lehmanni L. Bol.	1/-	10/-	75/-
multiflorum L. Bol.	1/6	15/-	100/-
kubusensis L. Bol.	1/-	10/-	75/-
sexpartitum L. Bol.	1/6	15/-	125/-
DIDYMAOTUS N. E. Br.:			
lapidiforme N. E. Br.	1/6	15/-	
„ var. major N. E. Br.	2/-	20/-	
„ var. minor N. E. Br.	2/-	20/-	
DIPLOSOMA Schw.:			
retroversum Schw.	3/-		
DINTERANTHUS Schw.:			
inexpectatus Dtr.	3 - to 6/-	36/-	250/-
microspermus Schw.	2/- to 5/-	20/-	150/-
Pole-Evansii L. Bol.	2/6	25/-	
puberulus L. Bol.	2/6	25/-	
punctatus L. Bol.	2/6	25/-	
Ruschiorum junioris Schw.	3/-	30/-	
DISPHYMA N. E. Br.:			
crassifolia N. E. Br.	1/-	10/-	75/-
DROSANTHEMUM Schw.:			
bellum L. Bol.	1/-	10/-	
Framesi L. Bol.	1/-	10/-	
Hermannii L. Bol.	1/-	10/-	
Luederitzii Schw.	1/-	10/-	
papillosum Dtr.	1/-	10/-	
pruinatum L. Bol.	1/-	10/-	
speciosum L. Bol.	1/-	10/-	
striatum L. Bol.	1/-	10/-	
EBRACTEOLA Dtr. et Schw.:			
Derenbergiana Dtr. et Schw.	2/6	25/-	
montis-Moltkei Dtr. et Schw.	2/-	20/-	
Triebneri Dtr.	3/-	30/-	
vallis pacis Dtr.	2/-	20/-	
ECHINUS L. Bol. (DELOSPERMA N. E. Br.)			
echinatus L. Bol.	1/-	10/-	
„ var. albus L. B.	1/-	10/-	
Matthewsii L. Bol.	1/6	15/-	

	each	doz.	100
FAUCARIA Schw.:			
Boscheana Schw.	2/6	25/-	
Brittenae L. Bol.	2/6	25/-	
canina N. E. Br.	2/6	25/-	
Duncani N. E. Br.	3/-	30/-	
felina Schw.	2/-	20/-	
„ var. Jamesii L. Bol.	2/6	25/-	
Haagei hort.	2/6	25/-	
lupina Haw.	2/6	25/-	
Hooliae L. Bol.	3/-	30/-	
paucidens N. E. Br.	2/6	25/-	
tigrina Haw.	2/-	20/-	
tuberculata Schw.	2/6	25/-	
FENESTRARIA N. E. Br.:			
aurantiaca N. E. Br.	3/-	30/-	
rophalophylla Schltr. et Diels.	3/-	30/-	
FRITHIA N. E. Br.:			
pulchra N. E. Br.	2/-	20/-	
GIBBAEUM N. E. Br.:			
album N. E. Br.	2/-	20/-	
dispar N. E. Br.	2/-	20/-	
geminum N. E. Br.	2/-	20/-	
gibbosum N. E. Br.	2/-	20/-	
Helmeae L. Bol.	3/-	30/-	
molle N. E. Br.	2/-	20/-	
pachypodium N. E. Br.	2/-	20/-	
perenoide N. E. Br.	2/-	20/-	
perviride N. E. Br.	2/-	20/-	
pilosulum N. E. Br.	2/-	20/-	
Shandi L. Bol.	2/6	25/-	
pubescens Schw.	2/-	20/-	
velutinum see <i>Menthocalyx</i>			
GLOTTIPHYLLUM Haw.:			
arectum N. E. Br.	1/-	10/-	
depressum N. E. Br.	1/-	10/-	
linguiforme N. E. Br.	1/-	10/-	
longum N. E. Br.	1/-	10/-	
Muirii L. Bol.	1/6	15/-	
Neilii L. Bol.	2/6	25/-	
Nelii Schw.	1/6	15/-	
Peersii L. Bol.	2/-	20/-	
propingue N. E. Br.	2/-	20/-	
Schoenlandii L. Bol.	2/-	20/-	
HEREROA Dtr. et Schw.:			
angustifolia L. Bol.	1/6	15/-	100/-
crassa L. Bol.	1/-	10/-	
Dyeri L. Bol.	1/-	10/-	75/-
fimbriata L. Bol.	1/-	10/-	75/-

	each	doz.	100
HEREROA Dtr. et Schw.:			
<i>gracilis</i> L. Bol.	1/6	15/-	
<i>granulata</i> Dtr. et Schw.	1/6	15/-	
<i>Herrei</i> Schw.	1/6	15/-	100/-
<i>hesperantha</i> Dtr. et Schw.	1/6	15/-	120/-
<i>incurva</i> L. Bol.	1/6	15/-	
<i>karasmontana</i> Dtr.	1/-	10/-	75/-
<i>namibense</i> Dtr.	2/-	25/-	
<i>Puttkameriana</i> Dtr. et Schw.	1/6	15/-	120/-
„ var. <i>glabrior</i> Dtr.	1/6	15/-	
<i>teretifolia</i> L. Bol.	1/6	15/-	
<i>Triebneri</i> L. Bol. (white flowers)	2/6	25/-	
<i>tirasmontana</i> Dtr.	1/6	15/-	
<i>Tugwelliae</i> L. Bol.	1/6	15/-	
<i>Willowmoorensis</i> L. Bol.	1/6	15/-	
<i>Willmanae</i> L. Bol.	1/6	15/-	
HERREANTHUS Schw.:			
<i>Meyeri</i> Schw.	3/-	30/-	
HYMENOCYCLUS Schw.:			
<i>Framesii</i> L. Bol.	1/-	10/-	
<i>purpureo-croceus</i> L. Bol.	1/-	10/-	
IMITARIA N. E. Br.:			
<i>Muirii</i> N. E. Br.	2/6	25/-	
JUTTADINTERIA Schw.:			
<i>albata</i> Schw.	1/6	15/-	
<i>Korii</i> Schw.	2/6	25/-	
<i>proxima</i> Schw.	2/6	25/-	
<i>rheolens</i> Dtr.	2/6	25/-	
<i>Simpsonii</i> Schw.	2/6	25/-	
LAPIDARIA N. E. Br.:			
<i>Margarethae</i> N. E. Br.	1/6	15/-	120/-
LEIPOLDTIA L. Bol.:			
<i>Britteniana</i> L. Bol.	1/6	15/-	
<i>compressa</i> L. Bol.	1/-	10/-	
LITHOPS N. E. Br.:			
<i>alpina</i> Dtr.	1/-	10/-	75/-
<i>Aucampiae</i> L. Bol.	2/6	25/-	
<i>bella</i> N. E. Br.	1/-	10/-	75/-
<i>Bromfieldii</i> L. Bol.	2/6	25/-	
<i>commodum</i> N. E. Br.	2/6	25/-	
<i>Comptonii</i> L. Bol.	2/6	25/-	
<i>Dinteri</i> Schw.	5/-		
<i>divergens</i> L. Bol.	5/-		
<i>Eberlanzii</i> Dtr. et Schw.	3/-	30/-	

	each	doz.	100
LITHOPS N. E. Br.:			
<i>elevata</i> L. Bol.	10/-		
<i>Elisabethae</i> Dtr.	2/6	25/-	
<i>Erniana</i> Tisch.	2/6	25/-	
<i>farinosa</i> Dtr.	2/-	20/-	
<i>Framesii</i> L. Bol.	2/6	25/-	
<i>Francisci</i> Dtr.	3/-		
<i>Fulleri</i> N. E. Br.	2/6	25/-	
<i>fulviceps</i> N. E. Br.	3/-	20/-	
<i>gracilidelineata</i> Dtr.	5/-	50/-	
<i>Helmuthi</i> L. Bol.	2/6	25/-	
<i>Herrei</i> L. Bol.	2/6	25/-	
<i>inornata</i> Dtr.	3/-	30/-	
<i>Julii</i> Dtr. et Schw.	2/6	25/-	
„ var. <i>palida</i> Tisch.	2/6	25/-	
„ var. <i>reticulata</i> Tisch.	2/6	25/-	
<i>karasmontana</i> Schw.	1/6	15/-	120/-
<i>kuibisensis</i> Dtr.	2/-	20/-	
<i>kunjasensis</i> Dtr.	3/-	30/-	
<i>lactea</i> Tisch.	2/6	25/-	
<i>lateritia</i> Dtr.	5/-		
<i>Lericheana</i> Dtr. et Schw.	5/-		
<i>Lesliei</i> N. E. Br.	-/6	4/6	30/-
<i>Lydiae</i> L. Bol.	3/-	30/-	
<i>Marthae</i> Loesch. et Tisch.	3/-	30/-	
<i>Meyeri</i> L. Bol.	2/-	20/-	
<i>mickbergensis</i> Dtr.	2/-	20/-	
<i>olivacea</i> L. Bol.	2/6	25/-	
<i>opalina</i> N. E. Br.	1/-	10/-	75/-
<i>optica</i> N. E. Br.	1/6	15/-	
<i>Peersii</i> N. E. Br.	2/6	25/-	
<i>pseudotruncatella</i> N. E. Br.	-/6	4/6	30/-
„ var. <i>Mundti</i> Tisch.	1/-	10/-	75/-
„ var. <i>pulmonuncula</i> Dtr.	1/6	15/-	120/-
<i>rugosa</i> Dtr.	2/6	25/-	200/-
<i>Ruschiorum</i> Dtr. et Schw.	2/6	25/-	
<i>Schlechteri</i> L. Bol.	2/6	25/-	
<i>Schwantesi</i> Dtr.	3/-	30/-	
<i>summitatum</i> Dtr.	2/6	25/-	
<i>terricolor</i> N. E. Br.	2/6	25/-	
<i>translucens</i> L. Bol.	2/6	25/-	
<i>Triebneri</i> L. Bol.	3/-	30/-	
<i>turbiniforme</i> N. E. Br.	2/6	25/-	
<i>umdausensis</i> L. Bol.	2/6	25/-	
<i>urikosensis</i> Dtr.	3/-	30/-	
<i>vallis Mariae</i> Dtr. et Schw.	2/-	20/-	
<i>van Zylli</i> L. Bol.	3/-	30/-	
<i>Wilhelmi</i> Tisch.	5/-		

Exhibitionsplants 3—15 heads Sh 5/- to 30/-.

	each	doz.	100
MENTHOCALYX N. E. Br.:			
velutina N. E. Br.	2/-	20/-	
MESEMBRYANTHEMUM L.			
amoenum L. Bol.	-/6	4/6	30/-
aureum L. Bol.	-/6	4/6	30/-
aurantiacum N. E. Br.	1/-	10/-	75/-
blandum Haw.	-/6	4/6	30/-
caninum L. Bol.	-/6	4/6	30/-
caulescens N. E. Br.	-/6	4/6	30/-
coccineum N. E. Br.	-/6	4/6	30/-
coralliflorum Haw.	-/6	4/6	30/-
croceum L. Bol.	1/-	10/-	60/-
densum L. Bol.	-/6	4/6	30/-
explanatum L. Bol.	-/6	4/6	30/-
filicaule L. Bol.	-/6	4/6	30/-
glaucum N. E. Br.	-/6	4/6	30/-
Haworthii L. Bol.	-/6	4/6	30/-
Hurlingii L. Bol.	-/6	4/6	30/-
intrusum L. Bol.	-/6	4/6	30/-
lacerum L. Bol.	-/6	4/6	25/-
lineolatum L. Bol.	-/6	4/6	30/-
luteolum L. Bol.	-/6	4/6	30/-
maximum Haw.	-/6	4/6	30/-
meleagris L. Bol.	1/-	10/-	75/-
obtusum L. Bol.	1/6	15/-	130/-
pachyphyllum N. E. Br.	2/-	20/-	160/-
roseum L. Bol.	-/6	4/6	30/-
rupestris N. E. Br.	-/6	4/6	30/-
rubrifolium L. Bol.	1/6	15/-	100/-
scutatum L. Bol.	/-6	4/6	30/-
sociorum L. Bol.	-/6	4/6	30/-
speciosum L. Bol.	-/6	4/6	30/-
spinosum N. E. Br.	1/-	10/-	75/-
stenophyllum L. Bol.	1/6	15/-	100/-
Zeyheri L. Bol.	1/-	10/-	75/-
MONILARIA Schw.			
chrysoleuca Schw.	2/6	25/-	
moniliformis N. E. Br.	2/-	20/-	
vestita L. Bol.	5/-	50 -	
MUIRIA N. E. Br.			
hortensae N. E. Br.	2/6	25/-	
MUIRIA x GIBBAEUM hort.			
hybr.	5/-		
NANANTHUS N. E. Br.			
albinotis Schw.	2/-	20/-	180/-
aloides Haw.	2/6	25/-	200/-
albipunctus N. E. Br.	2/6	25/-	
Jamesii L. Bol.	2/-	20/-	160/-
Lesliei L. Bol.	2/-	20/-	180/-

	each	doz.	100
NANANTHUS N. E. Br.			
Loganae L. Bol.	3/-	30/-	
Orpenii L. Bol.	3/-	30/-	
Pole-Evansii L. Bol.	3/-	30/-	
Peersii L. Bol.	3/-	30/-	
rosulata N. E. Br.	3/-	30/-	
rubralineata N. E. Br.	2/6	25/-	
NELIA Schw.			
Meyeri Schw.	1/6	15/-	
obtusa L. Bol.	2/6	25/-	
Pillansi L. Bol.	2/6	25/-	
ODONTOPHORUS N. E. Br.			
Marlothi N. E. Br.	2/-	20/-	
Meyeri L. Bol.	2/-	20/-	
nanus L. Bol.	2/-	20/-	
primulinus L. Bol.	2/-	20/-	
OOPHYTUM N. E. Br.			
nanum N. E. Br.	2/-	20/-	
oviforme N. E. Br.	2/-	20/-	
OPHTHALMOPHYLLUM Dtr. et Schw.			
Dinteri Schw.	2/-	20/-	150/-
Forsteri L. Bol.	2/-	20/-	150/-
Friedrichae Dtr. et Schw.	1/-	10/-	60/-
Herrei L. Bol.	2/6	25/-	
Maughani L. Bol.	2/6	25/-	
Pillansi L. Bol.	2/6	25/-	
Schlechteri Schw.	2/-	20/-	
Schuldti Schw.	2/6	25/-	
Triebneri Schw.	2/6	25/-	
ORTHOPTERUM L. Bol.			
Meyeri L. Bol.	2/-	20/-	
Waltoniae L. Bol.	2/-	20/-	
OSCULARIA Schw.			
caulescens Schw.	1/-	10/-	
deltoidea Schw.	1/-	10/-	
PEERSIA L. Bol.			
Frithii L. Bol.	2/-	20/-	
macradenia L. Bol.	2/-	20/-	
PERISOLOBUS N. E. Br.			
Bylii N. E. Br.	2/-	20/-	
PLEIOSPILUS N. E. Br.			
Archeri L. Bol.	1/-	10/-	75/-
Bolusii N. E. Br.	2/-	20/-	
compacta N. E. Br.	2/-	20/-	
Dekenahi N. E. Br.	2/6	25/-	
Fergusonae L. Bol.	3/-	30/-	

	each	doz.	100
PLEIOSPILOS N. E. Br.			
Hilmari L. Bol.	1/-	10/-	75/-
Loganae L. Bol.	3/-	30/-	
magnipunctatus Schw.	2/-	20/-	
minor L. Bol.	2/6	25/-	
Nelii Schw.	1/- to 5/-	25/-	
nobilis N. E. Br.	2/6	25/-	
optata L. Bol.	2/6	25/-	
Peersii L. Bol.	3/-	30 -	
Roodiae Schw.	2/-	20/-	
simulans N. E. Br.	1/- to 5/-	25/-	
sororia L. Bol.	2/6	25/-	
tricolor N. E. Br.	5/-		
Willowmoorensis L. Bol.	2/6	25/-	
PRENIA N. E. Br.			
pellans N. E. Br.	1/-	10/-	
PSAMMOPHORA Dtr. et Schw.			
Herrei L. Bol.	2/-	20/-	
longifolia Schw.	2/-	20 -	
Nissenii Schw.	2/-	20/-	
modesta Schw.	2/-	20/-	
Pillansii L. Bol.	1/6	15/-	
RHINEPHYLLUM N. E. Br.			
Comptonii L. Bol.	2/-	20/-	
Muirii L. N. E. Br.	2/-	20/-	
parvisepalous L. Bol.	2/-	20/-	
Pillansii L. Bol.	2/-	20/-	
RHOMBOPHYLLUM Schw.			
dolabriforme Schw.	1/6	15/-	
Nelii L. Bol.	2/-	20/-	
rhomboideum Schw.	2/-	20/-	
RIMARIA N. E. Br.			
Comptonii L. Bol.	2/-	20/-	
elevata L. Bol.	3/- to 5/-		
Heathii N. E. Br.	2/-	20/-	
„ var. magna L. Bol.	3/- to 5/-		
Helmeae L. Bol.	3/-	30/-	
Lueckhoffii L. Bol.	3/-	30/-	
Roodiae N. E. Br.	2/-	20/-	
RUSCHIA Schw.			
acuminata L. Bol.	1/-	10/-	60/-
Archeri N. E. Br.	2/-	20/-	
aristulata Schw.	1/-	10/-	60/-
axthelminana Dtr.	1/- •	10/-	75/-
bellidiflora L. Bol.	1/-	10/-	75/-
Bylii L. Bol.	1/-	10/-	75/-
crassa L. Bol.	1/-	10/-	60/-
evoluta L. Bol.	3/-	30/-	
fenestrata L. Bol.	3/-	30/-	

	each	doz.	100
RUSCHIA Schw.			
Fulleri L. Bol.	1/-	10/-	75/-
Herrei Schw.	1/6	15/-	
hesperantha Dtr.	1/-	10/-	75/-
indurata L. Bol.	1/-	10/-	75/-
muricata L. Bol.	1/-	10/-	60/-
namaquense Dtr.	1/-	10/-	75/-
octinaria L. Bol.	1/-	10/-	75/-
oviformis L. Bol.	3/-	30/-	
perfoliata Schw.	1/-	10/-	60/-
pseudorupicola Dtr.	1/-	10/-	75/-
Putterillii L. Bol.	1/-	10/-	75/-
pygmaea N. E. Br.	2/-	20/-	
rupicola Schw.	1/-	10/-	60/-
Steingroeveri Schw.	1/-	10/-	75/-
tumidula Schw.	1/-	10/-	75/-
uncinata Schw.	1/-	10/-	75/-
uncinella L. Bol.	1/-	10/-	75/-
vulvaria Dtr.	1/-	10/-	60/-
SCELETIUM N. E. Br.			
anatomicum N. E. Br.	2/-	20/-	
strictum N. E. Br.	1/6	15/-	
tortuosum N. E. Br.	1/6	15/-	
SCHWANTESIA Dtr.			
Herrei Schw.	3/-	30/-	
Ruedebuschii Dtr.	1/6 to 10/-		
spec. nova.	5/-		
STOMATIUM Schw.			
alboroseum L. Bol.	2/6	25/-	
difforme L. Bol.	1/-	10/-	
Fulleri L. Bol.	1/6	15/-	
Geoffroy L. Bol.	1/6	15/-	
Jamesii L. Bol.	1/-	10/-	
miranum N. E. Br.	1/-	10/-	
mustellinum N. E. Br.	1/-	10/-	
pyrodorum L. Bol.	2/6	25/-	
Ronaldii L. Bol.	2/-	20/-	
suaveolens L. Bol.	2/-	20/-	
suriaticum L. Bol.	2/-	20/-	
TITANOPSIS Schw.			
calcareea Marl.	2/6	25/-	
Fulleri Tisch.	2/6	25/-	
Lueckhoffi L. Bol.	3/-	30/-	
Primosi L. Bol.	2/-	20/-	
setifera L. Bol.	3/-	30/-	
Schwantesi see Verrucifera			
TRICHOCYCLUS N. E. Br.			
ciliatus N. E. Br.	1/-	10/-	
namibensis Dtr.	1/6	15/-	
Marlothii Dtr.	2/-	20/-	

	each	doz.	100
TRICHODIADEMA Schw.			
barbatum Schw.	1/-	10/-	
bulbosum Schw.	1/-	10/-	
densum Schw.	1/-	10/-	
mirabile L. Bol.	1/6	15/-	
olivaceum Schw.	1/-	10/-	
Rogersii L. Bol.	1/6	15/-	
setuliferum Schw.	1/-	10/-	
stellatum Schw.	1/-	10/-	
stelligerum Schw.	1/-	10/-	
strumosum L. Bol.	1/-	10/-	
VERRUCIFERA N. E. Br. (TITANOPSIS)			
Hugonis-Schlechteri Tisch.	2/6	25/-	175/-
Luederitzii Tisch.	3/-	30/-	
Schwantesii Dtr.	2/-	20/-	150/-
Triebneri L. Bol.	3/-	30/-	225/-
<u>BULBS</u>			
BUPHANE Herb.			
disticha Herl.	5/-		
CHAPMANOLIRION Dtr.			
Juttae Dtr.	-/6	4/6	25/-
CRINUM L.			
Caroli-Schmidtii Dtr.	3/-	30/-	200/-
leucophyllum	1/6	15/-	
longiflora	2/-	20/-	
gigantea	5/-		
roseum	1/6	15/-	
HAEMANTHUS			
catherina	2/6	25/-	
coccineus	2/6	25/-	
otaviense Dtr.	3/-	30/-	
splendens Dtr.	2/6	25/-	
FREESIA			
refrecta alba	-/6	4/6	20/-
hybr. maxima (giant flowering)	1/-	7/6	50/-
HYPOXIS			
Dinteri Nel.	1/-	10/-	75/-
obtusa Burch.	1/-	10/-	75/-
NERINE			
lucida	1/-	10/-	60/-
sarniensis	1/6	15/-	
PSEUDOGALTONIA Ktze.			
Pechuelli	2/-	20/-	

SUPPLEMENT SEEDLIST

	seeds	25	100	1000
ALOE L.				
ausana Dtr.		1/-	2/6	20/-
arborescens		-/3	-/6	4/-
glauca Marl.		1/-	2/6	20/-
globuligemma Pole-Ev.		1/-	2/6	20/-
Marlothii Brgr.		1/-	2/6	20/-
microstigma Pill.		1/-	3/-	25/-
Muiri Marl.		1/-	3/-	25/-
parvispina Pill.		1/-	3/-	25/-
Riehmeri Tr. spec. nov.		1/6	5/-	
ANACAMPSEROS L.				
australiana L. M. Black		1/-	3/-	15/-
avasmontana Dtr. var.				
caespitosa v. Poelln.		1/-	3/-	15/-
lanceolata var. alba v. Poelln.		1/-	3/-	15/-
lanigera Burch.		1/-	2/-	12/-
papyracea spec. new.		1/-	3/-	15/-
APICRA Willd.				
deltoidea Bak.		1/-	3/-	
foliolosa Willd.		1/-	3/-	
spiralis Bak.		1/-	3/-	
BULBINE L.				
Triebneri Dtr. spec. nov.		1/-	6/-	
CARALLUMA R. Br.				
ramosa Pill.		2/-	6/-	
CALANDRINIA				
grandiflora		-/6	1/-	
COTYLEDON L.				
decussata Sims.		1/-	2/-	15/-
gracilis Haw.		1/-	2/-	15/-
macrantha Bak.		1/-	2/-	15/-
terretifolia Thbg.		1/-	2/-	15/-
CRASSULA L.				
argyrophylla Schltr.		1/-	2/-	15/-
" var. ramosa				
Schoenl.		1/-	2/-	
canescens Roem. et Schltr.		-/6	1/6	10/-
cephalophora L. F.		1/-	3/-	20/-
congesta N. E. Br.		-/6	1/6	10/-
cornuta Schoenl.		-/6	1/6	10/-
corymbulosa Linck.		-/3	-/9	5/-
erosula Bak.		-/6	1/6	10/-

	seeds	25	100	1000
CRASSULA L.				
expensa L. Bol.	-/6		1/6	10/-
glomerata Schoenl.	-/6		1/6	10/-
macrantha Bak.	-/6		1/6	10/-
muscosa Bak.	-/6		1/6	10/-
obvallata L.	-/3		-/9	5/-
perfoliata L.	-/3		-/9	4/-
„ var. albiflora				
Harv.	-/3		-/9	4/6
perforata L.	-/3		-/9	5/-
plattiphylla Harv.	-/3		-/9	4/6
Rogersii Schoenl.	-/3		-/9	4/6
rosularis Haw.	-/3		-/9	4/6
rubicunda E. Mey.	-/3		-/9	4/6
tabularis Dtr.	-/3		-/9	5/-
turrida Bak.	-/3		-/9	5/-
DUVALIA Haw.				
pubescens N. E. Br.	1/-		3/6	20/-
EUPHORBIA L.				
aphylla Brouss.	-/6		1/6	12/-
atropurpurea Brouss.	-/9		2/6	20/-
canariensis L.	-/6		-/9	6/-
Engleri Dtr.	1/-		3/6	25/-
fasciculata Thbg.	5/-			
regis Jubiae Webb. et Berth.	-/3		-/6	3/-
GASTERIA Duval.				
carinata var. venusta Haw.	-/6		1/6	12/-
fasciata Haw.	-/6		1/6	12/-
lingua Brgr.	-/6		1/6	12/-
parvifolia Bak.	-/6		1/6	12/-
pulchella v. Poelln.	-/6		1/6	12/-
HAWORTHIA Duval				
albicans v. P.	-/9		2/-	15/-
altilinea Haw.	2/-		6/-	25/-
attenuata var. argyrostigma				
Bak.	2/-		6/-	20/-
columnaris v. P.	1/-		3/6	15/-
coarctata Haw.	1/-		3/6	15/-
Cooperi Bak.	1/-		3/6	15/-
cuspidata Haw.	1/6		5/-	
fasciata var. caespitosa Haw.	1/6		5/-	
glabrata Bak.	1/3		4/-	
„ var. perviridis v. P.	1/-		3/-	25/-
Haageana v. P.	1/6		5/-	
Helmeae v. P.	1/6		5/-	
marginata Bak.	1/6		5/-	
mutica Haw.	1/6		5/-	
pilifera Bak.	1/-		3/-	25/-

	seeds	25	100	1000
HAWORTHIA Duval				
radula Haw.	-/6	1/3	10/-	
reticulata v. Poell.	-/9	2/6	18/-	
retusa Haw.	1/-	3/-	20/-	
rigida v. P.	1/-	3/-	20/-	
rugosa Bak.	-/9	2/6	18/-	
papillosa v. P.	1/6	5/-		
Schmidtiana v. P.	1/6	5/-		
semiglabrata v. P.	1/6	5/-		
semimargaritifera v. P.	1/6	5/-		
subulata v. P.	1/6	5/-		
subattenuata Bak.	-/6	1/6	8/-	
tesselata Bak.	2/6	8/-		
tortuosa Haw.	-/9	2/6	16/-	
truncata Schoenl.	3/-			
„ var. congesta v. P.	3/-			
tuberculata v. P.	3/-			
viscosa Haw.	1/6	5/-		
HOODIA Sweet.				
Bainii N. E. Br.	5/-			
KALANCHOE Adams.				
coccinea L.	-/3	-/6	3/-	
crenata Haw.	-/3	-/6	3/-	
Daigremontana Bak.	-/6	1/6	10/-	
flammea Stapf.	-/3	-/6	1/6	
kewensis hort.	-/6	1/6	10/-	
laxiflora Bak.	-/3	-/9	3/-	
Luebbertiana Loes.	-/6	1/6	10/-	
gregaria Dtr.	-/6	1/6	10/-	
pruinosa Dtr.	-/6	1/6	10/-	
Welwitschii Bak.	-/6	1/6	10/-	
KLEINIA L.				
adenocalyx Dtr.	1/-	3/-	10/-	
articulata Haw.	1/-	3/-	10/-	
KOEBERLINIA				
spinosa	-/6	1/-	8/-	
MONSONIA				
multifida L. F.	1/-	3/6		
PEDILANTHUS				
macrocarpus	1/6	5/-		
PELARGONIUM L'Herit.				
incrassatum Sims.	3/-			
paradoxum Dtr.	2/6	8/-		
protectum Dtr.	3/-			
triste Ait.	3/-			

	seeds	25	100	1000
PIARANTHUS R. Br.				
comptus N. E. Br.		2/-	7/6	
Nebrownii Dtr.		2/-	7/6	
SANSEVIRA Thbg.				
cylindrica Willd.		2/-		
thirsiflora Dtr.		2/6		
STAPELIA L.				
conformis N. E. Br.		2/6		
Engleri Schltr.		2/6		
flavirostris N. E. Br.		2/6	8/-	
gemmiflora Mass.		3/-		
hirsuta var. affinis N. E. Br.		3/-		
Nouhuysii Phill.		3/-		
verrucosa Mass.		2/6	8/-	
TESTUDINARIA				
elephantipes Burch.		5/-		
TRICHOCAULON. E. Br.				
annulatum N. E. Br.		4/-		
YUCCA L.				
aloifolia L.	-/3	-/9	3/-	
„ fol. variegata L.	-/3	-/9	6/-	
„ atropurpurea	-/3	-/9	3/-	
„ quadricolor L.	-/3	-/9	6/-	
„ tricolor L.	-/3	-/9	6/-	
arborescens L.	-/6	1/6	10/-	
baccata L.	-/6	1/6	10/-	
elephantipes var. gigantea				
Bak.	1/6	5/-		
elata Engm.	1/-	3/6		
filamentosa L.	-/6	1/6	10/-	
gigantea L.	1/-	3/6	30/-	
gloriosa L.	3/-	10/-		
Treculeana Engm.	-/6	1/6	12/-	
„ var. caniculata				
Engm.	-/9	2/6	18/-	
Whipplei L.	-/9	2/6	18/-	

MESEMBRYANTHEMA

APTENIA Schw.				
cordifolia Schw.	-/3	1/-	6/-	
„ fol. variegata Schw.	-/6	1/6	10/-	
ALOINOPSIS L. Bol.				
alpestris L. Bol.	1/-	3/6		
rosulata L. Bol.	1/-	3/6		

	seeds	25	100	1000
ARGYRODERMA Schw.				
angustipetala L. Bol.		1/-	3/-	
fissum N. E. Br.		1/6	5/-	
Framesii L. Bol.		1/6	5/-	
Lueckhoffii L. Bol.		1/6	5/-	
ovale L. Bol.		1/6	5/-	
Pole-Evansii L. Bol.		1/-	3/6	
roseum Schw.		1/6		
Villettii L. Bol.		1/6	5/-	
ARIDARIA Schw.				
blanda L. Bol.	-/6		1/6	10/-
calycina L. Bol.	-/9		2/6	15/-
dela L. Bol.	-/6		1/6	10/-
geniculiflora N. E. Br.	-/6		1/6	10/-
graterne L. Bol.	-/6		1/6	10/-
multiserrata L. Bol.	-/6		1/-	8/-
pentagona L. Bol.	-/6		1/-	8/-
radicans L. Bol.	-/9		2/6	15/-
Rabiei L. Bol.	-/9		2/6	15/-
rosea L. Bol.	-/6		1/6	10/-
splendens L. Bol.	-/6		1/6	10/-
sulcata L. Bol.	-/6		1/-	6/-
ASTRIDIA Dtr. et Schw.				
velutina Dtr.	-/6		1/-	
BERGERANTHUS Schw.				
rhomboideus L. Bol.		2/6		
CEPHALOPHYLLUM N. E. Br.				
caledonicum L. Bol.	1/-		3/-	
confusum L. Bol.	1/6		5/-	
corniculatum L. Bol.	1/-		3/-	
curtophyllum L. Bol.	-/6		1/6	10/-
ebracteatum L. Bol.	1/-		3/-	
Framesi L. Bol.	1/-		3/-	
Herrei L. Bol. var. decumbens				
L. Bol.	1/-		3/-	
macrocarpa Dtr.	-/9		2/6	
platticalyx L. Bol.	1/-		2/6	
pulchrum L. Bol.	1/-		3/-	
saturatum L. Bol.	1/-		3/-	
CHEIRIDOPSIS N. E. Br.				
acuminata L. Bol.	-/6		1/6	
alata L. Bol.	-/6		1/6	12/-
aspera L. Bol.	-/9		2/-	18/-
carinata L. Bol.	-/6		1/6	12/-
Comptoni L. Bol.	-/9		1/6	12/-
Derenbergiana Schw.	-/6		1/-	6/-
Herrei L. Bol.	-/6		2/-	15/-

	seeds	25	100	1000
CHEIRIDOPSIS N. E. Br.				
Hilmari L. Bol.		2/-	7/6	
insignis L. Bol.		-/6	1/6	12/-
longipes N. E. Br.		-/6	2/-	15/-
Marlothi N. E. Br.		-/6	2/-	12/-
Meyeri N. E. Br.		-/6	1/6	10/-
Pillansi L. Bol.		-/6	1/6	10/-
Schinziana Schw.		-/6	1/6	10/-
stamminodifera L. Bol.		-/6	2/-	15/-
van Zylui L. Bol.		-/6	2/-	15/-
verrucosa L. Bol.		1/-	3/6	25/-
CONICOSIA Schw.				
brevicaulis Schw.		1/-	3/6	
CONOPHYTUM N. E. Br.				
frutescens Schw.		2/6	8/-	
muscosipapillatum Lavis.		2/6	8/-	
Nelianum L. Bol.		2/6	8/-	
Pearsonii N. E. Br. v. minor				
N. E. Br.		2/6	8/-	
placitum N. E. Br.		2/6	8/-	
van rheinsdoorpense Schw.		3/-		
CYLINDROPHYLLUM Schw.				
calamiforme N. E. Br.		-/3	-/9	6/-
Comptonii L. Bol.		-/9	2/6	15/-
Tugwelliae L. Bol.		-/9	2/6	15/-
DELOSPERMA Schw.				
crassum L. Bol.		1/-	3/6	
cuprum L. Bol.		1/-	3/6	
Davyii N. E. Br.		1/6	5/-	
Ecklonis L. Bol.		-/9	2/6	15/-
Herbenii L. Bol.		-/3	-/6	4/-
imbricata L. Bol.		1/-	3/6	
luteum L. Bol.		1/-	3/6	
litorale L. Bol.		1/-	3/6	
Mahonii N. E. Br.		-/6	2/-	
multiflorum L. Bol.		-/6	1/6	10/-
pergamantacea Schw.		-/9	2/6	
robustum L. Bol.		-/3	-/9	6/-
Rogersii L. Bol.		1/-	3/6	
Steytlerae L. Bol.		-/9	2/6	
testaceum L. Bol.		1/-	3/6	
uitenhaagense L. Bol.		1/6	5/-	
DOROTHEANTHUS Schw.				
criniflorus Schw.		1/-	3/-	
gramineus Schw.		1/-	3/-	

	seeds	25	100	1000
DROSANTHEMUM Schw.				
autumnalis L. Bol.	-/6	1/-	6/-	
candens Schw.	1/-	3/6		
concavum L. Bol.	-/9	2/6		
diversifolium L. Bol.	1/-	3/6		
Framesii L. Bol.	1/-	3/6		
„ var. prostrata L. Bol.	-/3	-/9	3/-	
hispidum Schw.	1/-	3/6		
latipetalum L. Bol.	1/-	3/6		
Luederitzii L. Bol.	-/6	1/6	12/-	
oculatum L. Bol.	1/-	3/6		
pauper Schw.	1/-	3/6		
paxianum Schw.	1/-	3/6		
Schoenlandianum L. Bol.	-/3	-/9	5/-	
speciosum Schw.	-/6	1/6	10/-	
subalbum L. Bol.	1/-	3/6		
subcompressum L. Bol.	-/6	1/6		
vespertinum L. Bol. var.				
suffosa L. Bol.	1/-	3/-		
tardum L. Bol.	1/-	3/6		
EBERLANZIA Schw.				
sedoidea Dtr. et Brgr.	-/9	2/-		
spinosa Schw.	1/-	3/6		
EBRACTEOLA Dtr. et Schw.				
Triebneri Dtr.	1/-	3/6		
EREPSIA N. E. Br.				
heteropetala Schw.	-/9	2/6		
viridis L. Bol.	1/-	3/6		
ECHINUS L. Bol.				
echinatus L. Bol.	1/-	3/6		
„ var. albiflorus L. Bol.	1/-	3/6		
FAUCARIA Schw.				
albidens N. E. Br.	2/-	7/6	40/-	
Brittenae L. Bol.	1/6	5/-	30/-	
Duncani N. E. Br.	3/-			
felina Schw.	-/9	2/-	15/-	
Hooleae L. Bol.	3/-			
tuberculata Schw.	1/-	3/6		
FENESTRARIA N. E. Br.				
aurantiaca N. E. Br.	-/6	1/6	12/-	
rhopalophylla Schltr. et Diels.	-/6	1/6		
GIBBAEUM N. E. Br.				
luteorine L. Bol.	2/6	8/-		

	seeds	25	100	1000
GLOTTIPHYLLUM Schw.				
compressum L. Bol.	-/6		1/6	10/-
cultratum L. Bol.	-/6		1/6	10/-
depressum N. E. Br.	-/6		1/6	10/-
difforme L. Bol.	1/-		3/6	
Herrei L. Bol.	1/-		3/6	
linguiforme N. E. Br.	-/3		-/6	3/-
Lehmannii L. Bol.	-/3		-/6	3/-
longum N. E. Br.	-/3		-/9	6/-
„ var. angustinus L. Bol.	-/3		-/9	6/-
Nelii L. Bol.	-/6		1/6	12/-
parvifolium L. Bol.	-/6		1/6	12/-
Peersii L. Bol.	1/-		3/6	
propingue L. Bol.	-/3		-/9	6/-
Schoenlandii L. Bol.	-/3		-/9	6/-
uncatum N. E. Br.	-/9		3/-	15/-
HALENBERGIA Schw.				
hypertrophica Dtr.	1/-		3/6	
HEREROA Dtr. et Schw.				
Bergeriana Schw.	-/6		1/6	12/-
hesperantha Dtr.	-/6		1/6	10/-
incurva L. Bol.	1/-		3/6	
tirasmontana Dtr.	1/-		3/6	
Walkeri L. Bol.	1/-		3/6	
willowmoorensis L. Bol.	1/-		3/6	
HERREA Schw. •				
Nelii Schw.	3/-			
HERREANTHUS L. Bol.				
Meyeri L. Bol.	1/-		2/6	
HYMENOCYCLUS Dtr. et Schw.				
Herrei Schw.	-/9		2/6	
luteus Schw.	-/9		2/6	
luteolus Schw.	-/9		2/6	
croceus Schw.	-/6		1/6	
JUTTADINTERIA Schw.				
buchbergensis Dtr.	1/-		3/6	
deserticola Schw.	-/6		1/6	
Graessneriana Dtr.	3/-		10/-	
Korii Schw.	-/9		2/6	18/-
kovisimontana Dtr.	3/-		10/-	
ponderosa Dtr.	3/-		10/-	
rheolens L. Bol.	-/9		2/6	
suavissima Schw.	1/6		5/-	

	seeds	25	100	1000
LITHOPS N. E. Br.				
Bromfieldii L. Bol.		2/6	8/-	50/-
divergens L. Bol.		2/6	8/-	50/-
flore-albis Dtr.		2/6	8/-	
Forsteri Tr.		1/-	3/-	20/-
gracilidelineata Dtr.		3/-	10/-	

MESEMBRYANTHEMUM L.

aureum L.	-/6	1/6
amoenum Salm.	1/-	3/6
australe Sol.	3/-	10/-
blandum Haw.	-/6	1/6
Beetzii Dtr.	1/-	3/6
Brunthalerii L. Bol.	-/6	1/6
coccineum L. Bol.	-/6	1/6
Cooperi Hook.	-/9	2/6
Comptonii L. Bol.	1/-	3/6
„ var. roseum L. Bol.	1/-	3/6
croceum L. Bol.	-/3	-/9
elegans Jacq.	-/9	2/6
explanatum L. Bol.	1/-	3/6
glaucum L. Bol.	1/-	3/6
Haworthii L. Bol.	1/-	3/6
herbacea L. Bol.	-/3	-/9
inconspicuum Haw.	-/9	2/6
meleagris L. Bol.	1/-	3/6
odoratum L. Bol.	1/-	3/6
obtusum L. Bol.	1/-	3/6
Paardebergensis L. Bol.	1/-	3/6
Pittenii L. Bol.	1/-	3/6
pyropeum Haw.	-/9	2/6
emarginatum L. Bol.	-/6	1/6
polyanthemum Haw.	1/-	3/6
roseum L. Bol.	1/-	3/6
Stephanii Schw.	1/-	3/6
stenophyllum L. Bol.	1/-	3/6
Sterrii Haw.	1/-	3/6
turbinatum Jacq.	1/-	3/6
violaceum Haw.	-/6	1/6
Otzenianum Dtr.	2/-	6/-
Watermeyerii L. Bol.	2/-	6/-

LEIPOLDTIA L. Bol.

Britteniana L. Bol.	2/-	6/-
compressa L. Bol.	2/-	6/-

MUIRIA N. E. Br.

hortensae N. E. Br.	1/6	5/-
---------------------	-----	-----

MONILARIA Schw.

chrysoleuca Schw.	2 -	7/6
-------------------	-----	-----

	seeds	25	100	1000
NAMIBIA Schw.				
cinerea Schw.		3/-	10/-	
ponderosa Dtr.		3/-	10/-	
NANANTHUS N. E. Br.				
Jamesii L. Bol.		1/-	3/6	
Orpenii L. Bol.		2/-	6/-	
vittatus N. E. Br.		1/-	3/6	
ODONTOPHORUS N. E. Br.				
primulinus L. Bol.		-/9	2/6	
OPHTHALMOPHYLLUM Schw.				
Dinteri Schw.		1/6	5/-	
Herrei Lavis.		1/6	5/-	
OSCULARIA Schw.				
deltoidea Schw.		1/-	3/-	
PEERSIA L. Bol.				
macradenia L. Bol.		1/-	3/6	
PLEIOSPILUS N. E. Br.				
borealis N. E. Br.		1/6	5/-	40/-
compacta N. E. Br.		1/6	5/-	40/-
dimidiatus L. Bol.		-/9	2/6	20/-
Fergusonii L. Bol.		1/-	3/6	30/-
Helmeae L. Bol.		1/6	5/-	45/-
Herrei L. Bol.		1/6	5/-	45/-
Loganae L. Bol.		1/6	5/-	45/-
nobilis N. E. Br.		1/6	4/6	40/-
lanipetalus L. Bol.		1/-	3/-	25/-
Peersii L. Bol.		1/6	5/-	45/-
sororia N. E. Br.		1/-	3/6	30/-
PSAMMOPHORA Dtr. et Schw.				
modesta Dtr. et Schw.		2/-	7/6	
Herrei L. Bol.		3/-	10/-	
PSILOCAULON N. E. Br.				
Gessertianum Dtr. et Schw.		1/6	5/-	
grandicaule N. E. Br.		1/6	5/-	
mucronulatum Dtr.		2/-	7/6	
RHINEPHYLLUM N. E. Br.				
Pillansii L. Bol.		3/-	10/-	
RHOPALOCYCLUS Dtr. et Schw.				
Weingangianus Dtr. et Schw.		3/-	10/-	
RIMARIA N. E. Br.				
elevata L. Bol.		3/-	10/-	

RUSCHIA Schw.

albiflora L. Bol.	-/6	1/6
addita L. Bol.	1/-	3/6
bracteata L. Bol.	1/-	3/6
Byliae L. Bol.	1/6	5/-
buchbergensis Dtr.	2/-	7/6
callifera L. Bol.	1/-	3/6
cinctum L. Bol.	2/-	7/6
Comptonii L. Bol.	1/-	3/6
congesta L. Bol.	1/-	3/6
connata L. Bol.	1/-	3/6
cymosa Schw.	3/-	10/-
dilatata L. Bol.	2/-	7/6
dolomitica Dtr.	3/-	10/-
Fergusonae L. Bol.	2/-	7/6
filamentosa L. Bol.	3/-	10/-
Fulleri L. Bol.	3/-	10/-
hamata Schw.	2/-	7/6
impressa L. Bol.	1/6	5/-
indurata L. Bol.	1/-	3/6
insidens L. Bol.	1/6	5/-
intervallaris L. Bol.	1/6	5/-
kubusensis L. Bol.	1/6	4/-
Levysiae L. Bol.	3/-	10/-
longesta L. Bol.	2/-	7/6
Meyerae Schw.	2/6	8/-
microphylla L. Bol.	2/6	8/-
multiflora L. Bol.	1/-	3/6
nonimpressa L. Bol.	1/-	3/6
perfoliata L. Bol.	1/6	5/-
persistens L. Bol.	1/6	5/-
psamophylla Dtr. et Schw.	3/-	10/-
pygmaeum L. Bol.	3/-	10/-
Ruschiana Schw.	2/-	7/6
sanicola L. Bol.	3/-	10/-
solida L. Bol.	3/-	10/-

SCELETIUM N. E. Br.

anatomicum N. E. Br.	2/-	7/6
strictum L. Bol.	1/6	5/-

SCHWANTESIA Dtr.

Herrei L. Bol.	1/-	3/6
succumbens Dtr.	3/-	10/-

SEMANTHE N. E. Br.

lacera N. E. Br.	-/6	1/6
------------------	-----	-----

STERROPETALUM N. E. Br.

Pillansii L. Bol.	1/-	3/6
-------------------	-----	-----

	seeds	25	100	1000
STOMATIUM Schw.				
difforme L. Bol.		-/9	2/6	10/-
Duthiae L. Bol.		-/9	2/6	10/-
Geoffroy L. Bol.		1/-	3/6	18/-
Meyeri L. Bol.		-/6	1/6	8/-
niveum L. Bol.		1/-	3/6	18/-
Ronaldii L. Bol.		1/6	5/-	30/-
suaveolens L. Bol.		1/-	3/6	18/-
suriaticum L. Bol.		1/-	3/6	18/-

TITANOPSIS Schw.

Fulleri Tisch.	2/-	7/6
----------------	-----	-----

TRICHODIADEMA Schw.

bulbosa Schw.	1/-	3/6	
mirabilis L. Bol.	1/6	5/-	
Rogersii L. Bol.	1/6	5/-	
setuliferum Schw.	-/6	1/6	7/6

TRICHOCYCLUS N. E. Br.

namibensis Schw.	2/-	7/6
Marlothii Schw.	2/-	7/6

VERRUCIFERA N. E. Br.

Triebneri Tisch.	2/-	7/6
------------------	-----	-----

ACANTHOSICYOS Welw. Cucurbitacea

horrida Welw. (Narrasfruit)	3/-	20/-
-----------------------------	-----	------

CITRULLUS L. Tschamma Melon

vulgaris L.	1/-	3/6	25/-
-------------	-----	-----	------

SUCCULENTS PLANTS

ASSORTMENTS

Aloe, assorted	6 varieties	£ —. 4.6
	12 "	—12.—
	25 "	1.10.—
	50 "	3.15.—
Crassula, assorted	6 "	—. 3.—
	12 "	—10.—
	25 "	1. 5.—
	50 "	3. —.—
Duvalia, assorted	6 "	—. 3.—
	12 "	—10.—
Echeveria	6 "	—. 3.—
	12 "	—10.—
	25 "	1. —.—
Euphorbia	6 "	—. 6.—
	12 "	—15.—
	25 "	1.15.—
Gasteria	6 "	—. 9.—
	12 "	1. —.—
Haworthia	6 "	—. 9.—
	12 "	1. —.—
Sedum	6 "	—. 3.—
	12 "	—. 7.6
	25 "	1. —.—
Stapelia	6 "	—. 4.6
	12 "	—12.—
	25 "	1.10.—
Argyroderma	6 "	—. 9.—
	12 "	—15.—
Cheiridopsis	6 "	—. 4.6
	12 "	—12.—
	25 "	1.10.—
Conophytum	6 "	—. 9.—
	12 "	1. —.—
Lithops	6 "	—. 6.—
	12 "	1. —.—
	25 "	1.15.—
Succulents, mixed	25 "	—12.—
	50 "	2.10.—
	100 "	7.10.—

Other Assortments from £1.— to £100.—.

SUCCULENTS SEEDS

MIXTURES

		Seeds	100	1000
Aloe	mixed	Sh.	-/6	2/-
Anacampseros	"		-/6	3/-
Bulbine	"		-/6	3/-
Caralluma	"		1/-	4/-
Cissus	"		2/-	10/-
Cotyledon	"		-/6	3/-
Crassula	"		-/3	2/-
Echeveria	"		-/6	3/-
Euphorbia	"		3/-	20/-
Gasteria	"		-/9	5/-
Haworthia	"		1/6	10/-
Hoodia	"		5/-	30/-
Kalanchoe	"		-/6	2/-
Pelargonium	"		3/-	20/-
Sarcocaulon	"		3/-	20/-
Senecio	"		1/-	8/-
Stapelia	"		1/-	3/-
Trichocaulon	"		2/6	15/-
Argyroderma	"		1/6	10/-
Aridaria	"		-/6	3/-
Cephalophyllum	"		-/9	4/6
Chasmatophyllum	"		-/6	2/-
Cheiridopsis	"		1/-	5/-
Conophytum	"		2/6	15/-
Dinteranthus	"		1/-	5/-
Ebracteola	"		-/6	3/-
Faucaria	"		1/-	8/-
Gibbaeum	"		2/-	8/-
Glottiphyllum	"		-/6	3/-
Hereroa	"		-/6	3/-
Juttadinteria	"		1/-	5/-
Lithops	"		1/-	4/-
Mesembryanthemum	"		-/6	3/-
Nananthus	"		3/-	15/-
Ophthalmophyllum	"		1/6	8/-
Pleiochrysis	"		1/-	8/-
Rimaria	"		3/-	15/-
Stomatium	"		-/9	4/6
Titanopsis	"		1/-	8/-
Verrucifera	"		1/-	8/-

00
/

